

Master of Public Health

Master de Santé Publique

Assessing Health Impacts of Education Quality Interventions: A Systematic Literature Review

Catherine MESSITIDIS

MPH M2 2019-2021 Location of Practicum:

Columbia University, USA

Professional Advisor:

Peter Muennig, MD, MPH Associate Professor Columbia University, USA

Academic Advisor:

James Thomas, MPH, PhD Associate Professor University of North Carolina, USA

Table of Contents

- Acknowledgements
- List of tables
- List of figures
- List of acronyms
- Abstract
- Resumé
- 1. Introduction
 - 1.1. Background
 - 1.2. Rationale
 - 1.3. Review question
 - 1.4. Objective
- 2. Methods
 - 2.1. Protocol and registration
 - 2.2. Eligibility criteria
 - 2.3. Information sources and literature search
 - 2.4. Selection process
 - 2.5. Data extraction
- 3. Results
 - 3.1. Description of studies
 - 3.2. Types of design and location of included studies
 - 3.3. Outcomes
- 4. Discussion
- 5. Strength and limitations
- 6. Conclusion

Appendixes

Appendix 1 Data Extraction Form

- Appendix 2 Detail of Search Strategy in MEDLINE Ovid
- Appendix 3 Detail of Search Strategy in ERIC

Appendix 4 Detail of Search Strategy in PsychINFO

Appendix 5 Detail of Search Strategy in HMIC

Appendix 6 Detail of Search Strategy in Global Health

Appendix 7 Detail of Search Strategy in Social Policy and Practice

References

Acknowledgements

I would first like to thank my professional advisor, Dr. Peter Muennig, for giving me the opportunity to be a part of his team and work on this fascinating project. I would like to extend this appreciation to Dr. Emilie Courtin, my secondary supervisor on this project, and Fabian Gilg, my fellow reviewer for this study.

Next, I would like to thank my academic advisor, Dr. James Thomas, for his continuous support and guidance throughout the process of my practicum and formation of my thesis.

Additionally, I would like to extend this gratitude to all of the faculty members of Ecole des Hautes Etudes en Santé Publique (EHESP French School of Public Health), for providing me with the knowledge, skills, and experience's that I've gained during my master's studies.

Most importantly, I would like to extend my deepest and most sincere appreciation and gratitude to my family and friends for the continued support and care throughout my life. It is through this collective system of individuals that this thesis was possible.

List of tables

Table 1 Articles search strategy Table 2 Overview of included studies Table 3 Study characteristics and key results

List of figures

Figure 1 PRISMA Flow diagram of studies identification and selection process Figure 2 Conceptual pathways through which education works to improve health

List of acronyms

RCT	Randomized Control Trial
OECD	Organization for Economic Co-operation and Development
NGO	Non-governmental organization
UNICEF	United Nations Children's Fund
SES	Socio-economic Status
BMI	Body Mass Index
EU	European Union
ABC	Abecedarian Project
PPP	Perry Preschool Program
IY-TCM	Incredible Years Teacher Classroom Management
FAME	Family Education
FAST	Families and Schools Together
CDC	Centers for Disease Control and Prevention

Abstract

Introduction: The relationship between education and health has been studied for many years, but only recently have causal studies become available. This review of the current literature gives an overview of this causal relationship. It highlights the importance of investigating the quality and characteristics of the education being attained, and how these qualities effect the education/health gradient.

Methods: A review of the scientific literature was conducted to explore the relationship between policies and interventions targeting the quality of education and their impacts on health. This literature search was performed using the following databases: MEDLINE, Social Policy Practice, ERIC, PsychINFO, HMIC, and Global Health. Studies were eligible for this review if they described a school-based intervention targeting education quality (i.e.. smaller classroom size, having multiple teachers in the class, teachers being trained by certain intervention programs, etc.), and measurement of a health outcome.

Results: Of the 6,020 studies identified by the above-mentioned databases, 55 studies were identified for the initial inclusion through either title or abstract relevance. During the secondary round of inclusion after full-text review, 25 studies were included in the final review.

Conclusion: Results were categorized by education level at time of intervention (early childhood, primary school, or secondary school), outcome measure (mental health, risky behaviour, mortality, etc.), and significance. Interventions conducted during early childhood showed the most significant results for sustained health outcomes.

Resumé

Contexte: La relation entre l'éducation et la santé a été étudiée pendant de nombreuses années, mais ce n'est que récemment que des études causales sont devenues disponibles. Cette revue de la littérature actuelle donne un aperçu de cette relation causale, mais met en évidence l'importance d'étudier la qualité et les caractéristiques de l'éducation à atteindre, et comment ces qualités affectent le gradient éducation / santé.

Méthodes: Une revue systématique de la littérature scientifique a été menée pour explorer la relation entre les politiques et les interventions ciblant la qualité de l'éducation et leurs impacts sur la santé. Cette recherche documentaire a été effectuée à l'aide des bases de données suivantes: MEDLINE, Social Policy Practice, ERIC, PsychINFO, HMIC et Global Health. Les études étaient éligibles pour cette revue si elles décrivaient une intervention en milieu scolaire ciblant la qualité de l'éducation (c.-à-d. Une salle de classe plus petite, ayant plusieurs enseignants dans la classe, des enseignants formés par certains programmes d'intervention, etc.) et la mesure d'un résultat sur la santé.

Résultats: Sur les 6 020 études identifiées par les bases de données susmentionnées, 55 études ont été identifiées pour l'inclusion initiale par le titre ou la pertinence du résumé. Au cours du cycle secondaire d'inclusion après la revue du texte intégral, 25 études ont été incluses dans la revue finale.

Conclusion: Les résultats ont été classés par niveau d'éducation au moment de l'intervention (la crèche, l'école primaire ou secondaire), mesure des résultats (santé mentale, comportement à risque, mortalité, etc.) et importance. Les interventions menées pendant la petite enfance ont montré les résultats les plus significatifs pour des résultats de santé durables.

1. Introduction

1.1. Background

High-quality education has the power to affect children not only through their academic achievements, but follow them into their adulthood through a number of different pathways. (1)(2). As explained by the fundamental cause theory (FCT), social factors (such as education) increase the opportunity to obtain a good job, which means that individuals are able to secure not only a stable income, but have access to health insurance, live in safer environments, and ultimately have better health(3)(4). Another is the human capital theory (HCT), which views education as an investment that produces health through gained knowledge, skills, and reasoning (4). Lastly there is the signaling or credentialing perspective, which aims to explain the differences in health by those who have obtained a high school diploma versus a college degree, using the additional years of schooling as the cause for better health (4). This association between increased education attainment leading to increased health and longer life has been coined "the education-health gradient" (5)(2). Overall, the idea is by having more education, individuals are more likely to make healthier, more positive lifestyle choices, have less risky behaviour, and increase their attention to preventative care(6)(2). For this reason, education is considered one of the most important indicators of socio-economic status. Association itself is not enough to truly understand how this relationship between education and health operates, which is why the need to explore causality is imperative.

Continuing to build our knowledge on this well-documented causal relationship between education and health is important for a number of reasons. Firstly, it is through these causal relationships that policies are based and created. By expanding our understanding of how this relationship works, we can create more effective education policies. In addition to benefiting the individual, educational attainment has a significant influence on the socio-economic success of the community. As explained by Dana Mitra, a better educated population will have less unemployment, reduced dependence on public assistance programs, less crime, improved health, and greater income(7).

Association between education and health

Increasing educational attainment has become a key focus globally in the last century. For example according to the US Census Bureau, the percentage of the population aged 25+ with a high school diploma nearly quadrupled from around 24% in the 1940s to about 88% in 2015(8). This shows us the importance that has been placed on education through compulsory schooling laws, which in turn have created a more highly educated workforce. In the last few decades, hundreds of studies have been conducted documenting the effects of higher educational attainment. One of the most influential is the work by Kitgawa and Hauser, who studied the relationship between mortality and a wide range of social factors in the US. They found large differences in mortality according to educational attainment(4). Most recently in 2020, the OECD conducted a study in which they analyzed the relationship between education and health between 1995 and 2015 from 26 OECD(6). They found that overall, adults with higher educational attainment had better health and lifespans than their less educated peers, as seen in the literature- Hummer and Lariscy (2011), Montez, Hummer, and Hayward (2012), Clark and Royer (2010), and Oreopoulos (2010) to name a few. As this association between health and education has been well documented, it is important to note the characteristics that shape the school and classroom settings.

Causal relationship between education and health

Though robust, a majority of this relationship has been studied in a quantitative mannermeaning the amount of time spent in school or level of education, and its effects on the above-mentioned outcomes. An example of this is shown from the study conducted by Dana Goldman and James P Smith in 2011 on the relationship between education and health, and how it has changed between the late 1970s and early 2000s among non-Hispanic whites aged 40-64 years. According to their study, the proportion of selfreported fair or poor health among those without a high school education differed from those with a college education by 25% in 1978 and increased to 36% in 2004(9). This association means that over the course of the 30 observed years, poor health became more common for those with less of an education. Because this study was conducted over such a long period of time, we can also say with confidence that this association was not likely caused by a random factor or event, and actually begins to build the case for a causal relationship, rather than just an association, between education and health. This is in line with Sir Austin Bradford Hill's famous criteria for evidence of a causal relationship, which includes temporality (the idea that an effect occurs after the cause) and consistency(10). Their study also found that those with advanced education reported less prevalence of chronic diseases such as arthritis, heart disease, high blood pressure, lung disease, and diabetes, while on the contrary, the population with less education experienced an increase of some of these conditions(9).

Another example of this causal relationship comes from David Cutler and Adriana Lleras-Muney in their 2006 study *Education and Health: Evaluating Theories and Evidence*. Here, the authors report that those with an additional four years of education had reduced mortality, risk of heart disease, and risk of diabetes(11). Moreover, those who

ix

reported having more years of education were less likely to indulge in risky behaviours such as smoking, drinking heavily, using illegal drugs, or being overweight(11). According to another study conducted by Lleras-Muney in 2005 on the changes of compulsory school laws across the US between 1915 and 1939 and mortality rate using the US census in 1960, 1970, and 1980, each additional year of schooling lowered mortality rate over a ten year period by almost 60%(12).

Although the causal quantitative relationship between educational attainment and health has been well studied and established, a large and very important detail remains unanswered: How do the different qualities and characteristics within these schools or classrooms that make up this education affect these health outcomes? For example, are smaller classrooms better than larger ones? Does having multiple teachers in a classroom make a difference? What is the effect of training teachers or altering the content of the class in a particular way? Here is where the nature of this literature review lies.

Current situation

Currently, there are several organizations and programs throughout the world whose aim is to target school quality and investigate its effects on health and behaviour. One of the oldest and most well-known is the US-based Head Start program created in 1965, which targets early childhood education to provide health, nutrition, and parental services to low income children and families (13). According to the National Head Start Association, Head Start children were found to score higher than control groups of children across all cognitive and socio-emotional measures, as well as having lower body mass index (BMI), by the end of their kindergarten programs(13). Another very well-known example is the Abecedarian Project, a US based program created in the late 1970s which conducts RCTs with the aim to monitor the long term effects of high quality early care and education, particularly to disadvantaged children (14). In this project, children receive the intervention through age 5 and are continuously monitored in follow ups at age 12, 15, 21, 30, and 35. According to a recent publication, recipients of the Abecedarian curriculum scored higher on achievement tests, were more likely to attend a 4-year university and have a skilled job, were less likely to smoke marijuana, and reported fewer depressive symptoms than their peers(14).

Х

1.2. Rationale

Longer schooling has been consistently associated with improved educational and socioeconomic outcomes, and ultimately improved health. However, there is still limited evidence that it is possible to improve health by intervening on education quality.

1.3. Review question

The aim of this systematic review is to assess the health impacts of education interventions targeting school quality conducted in all types of education settings using causal study designs.

1.4. Study objective

• To perform a systematic literature review and asses the health impact of education interventions

Primary Objectives:

- Assess the health impact of education quality through the following 3 pathways:
 - Higher educational attainment and cognitive reserve, greater employment potential, and higher income
 - Reduced risky health behaviours
 - Improved psycho-social resources (e.g., social class, parental factors, beneficial connections, less psychological stress

2. Methods

This study follows the Cochrane Database of Systematic Reviews approach to synthesize studies used in this review. Though all types of publications were included in the search, including not peer-reviewed or published, to avoid meta/publication bias the focus of this systematic review was on randomized control trials (RCTs) and quasi-experiments. RCTs were included (multi-arm, practical and parallel-group approach) because this study design is considered the gold standard in terms of internal validity and brings a strong emphasis on efficacy of interventions. Quasi-experiments (interrupted time series, instrumental variables, difference in differences, regression discontinuity design, and panel analysis if fixed effects) are included as they provide valuable information of real-world effectiveness of these programs.

2.1. Protocol and registration

Before this study was conducted, a protocol was developed and registered with PROSPERO, the international prospective register of systematic reviews. Furthermore, as the aim of this review was to evaluate the effects of interventions, the PRISMA

xi

guidelines were used to report the results.

2.2. Eligibility criteria

Participants/ Population

This study is interested in individual-level data and includes results from all income regions (high-income and low-and-middle-income countries). Studies focusing on outcomes of teachers, parents, or institutions were excluded.

Interventions/ Exposures

The focus of this review is on studies that introduce an educational intervention aiming to increase education quality along a framework of Input, Process, Output, and Outcome. This framework was inspired by the frameworks of UNESCO and the OECD. Educational interventions covered early life/pre-school to higher education, allowing to follow a life-course approach to better understand if interventions given at certain points in time are more or less effective in terms of education and health outcomes.

The following interventions were excluded from the study:

• Quantitative schooling policies without additional education quality changes, e.g., compulsory schooling laws

• Policies that directly focus on health in educational setting (e.g., higher physical activity, campaigns against bullying), nutritional programs as well as programs that directly affect risky behaviour (e.g., smoking, drug abuse)

• Interventions without the explicit purpose of improving education/ educational circumstances (e.g., interventions who do not have effecting education as a primary objective)

Comparators/ Control

Studies were eligible if the counterfactual was what the children would receive in the absence of the intervention (the status quo).. Active control arms were also included as some research may consider it as unethical to conduct studies where the control group does not receive any further assistance.

Outcomes

Health outcomes remained generalized in the first round of searches. The main outcomes being searched for were the following:

• Higher educational attainment and cognitive reserve, greater employment potential, and higher income

- Reduced risky health behaviours
- Improved psycho-social resources (e.g., social class, parental factors, beneficial connections, less psychological stress

The measure of health outcomes varied between the 25 included studies, and ranged from self-reported health status, risky health behaviours such as smoking or drinking excessively, diagnosed diseases, and mortality. Before excluding studies for missing health outcomes, appendices were searched for measures that could be relevant for this study, as perhaps health was not a primary aim of the educational intervention, but still included as a secondary measure.

2.3. Information sources and literature search

The literature search was performed using a combination of the following databases:

- Public health: MEDLINE Ovid, PsychINFO, HMIC, Global health
- Education: ERIC
- Social policy: Social Policy and Practice
- Grey literature: Manual searches through reference lists, databases, and other various websites

Initially, a MEDLINE strategy was developed, and translated accordingly for the respective other libraries used in this search. Only studies written in English were included. Due to a high volume of search results, we included only studies published in the year 2000 or later, as that was the year that the United Nation's Millennial Development Goals were declared, listing "achieving universal primary education" as the 2nd out of 8 main targets.

Overview search results Sheet "Overview" Last changed on: 10-Mär	-				
Library	Operator	Date		Name	Number of records
Medline	Ovid		3/10/21	Medline 16	2,647
HMIC	Ovid		3/10/21	HMIC 5	20
Social Policy & Practice	Ovid		3/10/21	Social Policy Practice 5	71
Global Health	Ovid		3/10/21	Global Health 6	1,442
PsycINFO	Ovid		3/10/21	PsychINFO 6	3,121
ERIC	EBSCO		3/10/21	ERIC 6	584
				Total records found	7,885
				Total records uploaded to Mendeley	7,885
				Records automatically removed by Mendeley	7,140
				Records manually removed due to duplicates	1,120
				Total records after removal of duplicates	6,020

Table 1 Articles search strategy

2.4. Selection process

After the search guides for each database were conducted, the first phase of the selection process was independently screened for title and abstract by two investigators (CM and FG)) using Rayyan. After removing any duplicates and independently including/excluding studies, the two investigators agreed on criteria for which studies to include in the second round of the selection process, which was comprised of reading the full texts of the included studies and either choosing to include or exclude at that point. This included specific components of the intervention, outcome, study design, study population, and study year.

2.5. Data extraction

A data extraction form was designed by the two investigators using Microsoft Excel in order to extract all of the relevant information from the included studies. In order to calibrate the judgement between the two investigators, the first three data extractions were done together as a team. The form was divided into two sections, one for RCTs and one for quasi-experiments. See Appendix 1 for the data extraction form.

2.6 Strategy for data synthesis


After completing the data extraction forms with relevant information, data was then summarized and categorized into a table with key results (Table 2 below). From there, outcome measures and intervention design were compared and synthesized using a textual narrative synthesis approach to investigate patterns or similarities/differences among the results. Textual narrative synthesis includes organizing the data in various homogenous themes/groups according to study characteristics and context which then is used to yield analytic results(15). Outcome measures are reported in means, counts, proportions, percentage, rates, and odds ratios.

3. Results

3.1. Description of studies

After removing the duplicates found among the results from the six databases used for this review, 6020 unique records were identified. The large quantity of records was due to broad search terms such as "mortality" or "education", which yielded many results. Of those, only 55 met the inclusion criteria based on terms in the title and abstract. Upon reading the full text, another 30 studies were excluded, leaving 25 studies meeting the inclusion criteria. See Figure 1 for the PRISMA flow diagram of study identification and selection process.

Figure 1 PRISMA



3.2. Types of design and location of included studies

Table 2 below shows the overview information on the 25 included studies, as well as categories for the intervention type, start time, and targeted population. Most of the studies were RCTs (n=21, 84%), three used quasi-experimental design (12%), and one study was observational (4%). Most of the studies took place in the United States of America (n=18, 72%). Three were conducted in England (12%), two took place in Sweden (8%), and one in Portugal (4%). One study included data from 21 countries from the EU. The largest portion of interventions were conducted and focused on early childhood education, meaning from infancy until kindergarten enrollment (n=11, 44%). Eight studies targeted education interventions during primary school (32%). Interventions in secondary school were conducted in six studies (24%). Sample size varied from 21 students to over 220,000.

Among the 25 studies, four (16%) used the Abecedarian Project- an early life educational intervention + parenting skills intervention targeting children from infancy through age 5 through the use of educational "games" incorporated into the day that focus on social, emotional, and cognitive areas of development (16). Two of the studies (8%) used the 4R's curriculum (Reading, Writing, Respect & Resolution), which aims to engage the imagination and creativity of children in grades pre-kindergarten to grade 5 to help develop critical skills such as empathy, community building, and conflict resolution(17). One of those studies, a dissertation by Sutton (2020), had an intervention group comprised of the 4R program + the MyTeachingPartner (MTP) program, a coaching approach that supports curriculum implementation by providing teachers with ongoing, personalized feedback and support centered on teacher-student interactions (18).

Head Start, a program created by the United States Department of Health and Human Services in the 1960s that provides early childhood education, health, nutrition, and parent involvement services to low-income children and families, had a total of five studies (20%). These included two preschool intervention studies (REDI program), one primary school intervention study (PATHS program), and two independent interventions (the Chicago School Readiness Project and Project STAR), which also fall under its umbrella.

One study compared the effects of the Families and Schools Together (FAST) Program, an after-school, multifamily support group, to the Family Education (FAME) Program, which sends behavioral parenting pamphlets home with the children and includes active follow-ups throughout the year. Two studies investigated the effects of low-income students winning lotteries and being admitted into high performing secondary schools (8%). One observational study was conducted analyzing the effects of class size. Two studies focused on high school at-risk youth using Rational Emotive Education (REE), a school-based cognitive therapy intervention targeting the reduction of disruptive behavior amongst African American males, while the other was an intensive residential program that targeted dropouts (ChalleNGe Program).

The Incredible Years Teacher Classroom Management (IY-TCM) program, a program created to strengthen teacher classroom management strategies and promote children's prosocial behavior and school readiness (reading skills) was used in three studies (12%). Another two well-known programs included in this study were the Perry Preschool Program (PPP), a longitudinal study which followed their students through age 40, and the CARE program. One study looked at the effect of tracking reforms across different cohorts throughout Europe. One implemented an intervention based on a formerly used

xvi

teaching concept from the 1940s-1970s in Sweden which was created with the focus to better help children with hidden disabilities such as dyslexia and dyscalculia.

Holistic educational (Learning environmen Teacher quality	2 5 3 3				
Details on population Disadvantaged famili Ethnic minorities General	##### Note that since 9 3 13	based on abstrac	cts only this p	prelim	nary classification is not mutually exclusive due to lack of details in abstract (e.g., disadvantaged families can also be ethnic minorities)
Start of intervention Early childhood Primary education Secondary educatior Tertiary education Job education	##### Note that some 11 8 6 0 0	ə interventions may	y span acros.	s sev	aral phases. Therefore, start of intervention was chosen
Primary intervention	Details on population	Start of intervention	First author	Year	Title
Cognitive/ social skills	Ethnic minorities	Primary education	Jones		A school-randomized clinical trial of an integrated social-emotional learning and literacy intervention: impacts after 1 school year.
Classroom	General		Sutton		Academic and social-emotional classroom composition and the quality of classroom interactions in New York City public elementary schools.
Classroom	General		Li-Grining		Academic Outcomes of the Chicago School Readiness Project in First Grade: Do Children's Approaches to Learning Mediate Treatment Effects on Academic Skills?
Holistic educational enrichmen	Disadvantaged families	Early childhood		0010	
			Campbell	2012	Adult outcomes as a function of an early childhood educational program: An Abecedarian Project follow-up.
Family environment	Disadvantaged families		Campbell McDonald		Adult outcomes as a function of an early childhood educational program: An Abecedarian Project follow-up. After-School multifamily groups: a randomized controlled trial involving low-income, urban, Latino children
Family environment Learning environment		Primary education	McDonald	2006	
Learning environment Class_size	Disadvantaged families Disadvantaged families General	Primary education	McDonald Dudovitz	2006 2018	After-School multifamily groups: a randomized controlled trial involving low-income, urban, Latino children
Learning environment	Disadvantaged families Disadvantaged families General	Primary education Secondary education Secondary education	McDonald Dudovitz	2006 2018 2013	After-School multifamily groups: a randomized controlled trial involving low-income, urban, Latino children Assessment of exposure to high-performing schools and risk of adolescent substance use: a natural experiment.
Learning environment Class size Holis ducational enrichmer Cognitive/ social skills	Disadvantaged families Disadvantaged families General Ethnic minorities Ethnic minorities	Primary education Secondary education Secondary education Early childhood Secondary education	McDonald Dudovitz Jakobsson McLaughlin Kaplan	2006 2018 2013 2007 2019	After-School multifamity groups: a randomized controlled trial involving low-income, urban, Latino children Assessment of exposure to high-performing schools and risk of adolescent substance use: a natural experiment. Class-Size Effects on Adolescents' Mental Health and Yell-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Disrupting the school to prison pipeline: Reb with African-American youth in a school setting.
Learning environment Class_size Holis	Disadvantaged families Disadvantaged families General In Ethnic minorities Ethnic minorities General	Primary education Secondary education Secondary education Early childhood Secondary education Secondary education	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle	2006 2018 2013 2007 2019 2019	After-School multifamity groups: a randomized controlled trial involving low-income, urban, Latino children [®] Assessment of exposure to high-performing schools and risk of dadisesare stubstance use: a natural experiment. Class-Size Effects on Addescents' Mental Health and Well-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Disrupting the school to prison pipeline: Reb twith African-American youth in a school setting. Do comprehensive school forom impact the health or early school severy? Results of a comparative difference-in-difference design.
Learning environment Class size Holist ducational enrichmen Cognitive/ social skills Learning environment Holistic educational enrichmen	Disadvantaged families Disadvantaged families General In Ethnic minorities Ethnic minorities General In General	Primary education Secondary education Secondary education Early childhood Secondary education Secondary education Early childhood	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig	2006 2018 2013 2007 2019 2019 2009	After-School multifamity groups: a randomized controlled trial involving low-income, urban, Latino children Assessment of systemized high-performing schools and risk of adolescent substance use: a natural experiment. Class-Size Effects on Adolescents' Mental Health and Weil-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Disrupting the school to prion pipeline: Reb with African-Amricany outh in a school setting Do comprehensive school reforms impact the health of early school leavers? Results of a comparative difference-in-difference design. Effects of a prekindergarten ducutational intervention on adult health: 37-year follow-up results of a randomized controlled trial.
Learning environment Class_size Holid ²² educational enrichmer Cognitive/ social skills Learning environment Holistic educational enrichmer Classroom	Disadvantaged families Disadvantaged families General In Ethnic minorities Ethnic minorities General In General Disadvantaged families	Primary education Secondary education Secondary education Early childhood Secondary education Secondary education Early childhood Early childhood	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman	2006 2018 2013 2007 2019 2019 2009 2009	After-School multifamity groups: a randomized controlled trial involving low-income, urban, Latino children Assessment of exposure to high-performing schools and risk of addressent substance use: a natural experiment. Class-Size Effects on Addresents' Mental Health and Well-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Disrupting the school to prison pipeline: Rebt with African-American youth in a school setting. Do comprehensive school forom: Impact the health for early school severa? Results of a comparative difference-in-difference design. Effects of a prekindergaten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Enriching Preschool Classrooms and Home Vists with Evidence-Based Programming: Sustande Benefits for Low-income Children
Learning environment Class_size Holis 2 educational enrichmer Cognitive' social skills Learning environment Holistic educational enrichmer Classroom Teacher quality	Disadvantaged families Disadvantaged families General 1 Ethnic minorities Ethnic minorities General 1 General Disadvantaged families Disadvantaged families	Primary education Secondary education Secondary education Early childhood Secondary education Secondary education Early childhood Early childhood Early childhood	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santo:	2006 2018 2013 2007 2019 2019 2009 2017 2018	After-School multifamity groups: a randomized controlled trial involving low-income, urban, Latino children Assessment of systemize high-phenoming schools and risk of adolescent substance use: a natural experiment. Class Size Effects on Adolescents' Merital Health and Well-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Disrupting the school to prison pipeline: Rebt with African-American youth in a school setting Do comprehensive school reforms impact the health of early school leavers' Results of a comparative difference-in-difference design. Effects of a preinforgational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Enriching Preschool Classrooms and Home Visits with Evidence-Based Programming: Sustained Benefits for Low-Income Children Promoting mental health in disadvantaged preschoolers. A cluster andomized controlled trial.
Learning environment Class.size Holis	Disadvantaged families Disadvantaged families General Ethnic minorities Ethnic minorities General Disadvantaged families Disadvantaged families Disadvantaged families	Primary education Secondary education Secondary education Early childhood Secondary education Secondary education Early childhood Early childhood Early childhood	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santo: Bierman	2006 2018 2013 2007 2019 2019 2019 2009 2017 2018 2020	After-School multifamity groups: a randomized controlled trial involving low-income, urban, Latino children [®] Assessment of exposure to high-performing schools and risk of addressert substance use: a natural experiment. Class-Size Effects on Addresents' Mental Health and Well-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Discrupting the school to prison pipeline: Rebt with African-American youth in a school setting. Do comprehensive school reforms impact the health for early school severa? Results of a comparative difference-in-difference design. Effects of a prekindergaten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Enriching Preschool Classrooms and home Vists with Fuberce-Based Programming: Subating Benefits for CurveIncome Children Promoting mental health in disadvantaged preschoolers: A cluster randomized controlled trial of teacher training effects.
Learning environment Class_size Holiseducational enrichmer Cognitive' social skills Learning environment Holistic educational enrichmer Classroom Teacher quality Classroom Dropouts	Disadvantaged families Disadvantaged families General I Ethnic minorities Ethnic minorities General Disadvantaged families Disadvantaged families General Disadvantaged families	Primary education Secondary education Early childhood Secondary education Early childhood Early childhood Early childhood Early childhood Secondary education Secondary education	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santo: Bierman Biorman	2006 2018 2013 2007 2019 2019 2009 2017 2018 2020 2009	After-School multifamity groups: a randomized controlled trial involving low-income, urban, Latino children Assessment of associute to high-performing schools and risk of adolescent substance use: a natural experiment. Class-Size Effects on Adolescents' Mental Health and Well-Being in Swedsh Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Disrupting the school to prison pipeline: Rebt with African-American youth in a school setting. Do comprehensive school reforms impact the health of early school leavers? Results of a comparative difference-in-difference design. Effects of a preinformage and the state of the school leavers? Results of a comparative difference in-difference design. Effects of a preinformage and intervention on adult healts: 37-year follow-up early site of a randomized controlled trial. Enriching Preschool Classrooms and Home Visits with Evidence-Based Programming: Sustained Benefits for Low-income Children Promoting metal his in disadvantaged preschoolers. A cluster randomized controlled trial of teacher training effects. Reducing Adolescent Psychopathology in Socioeconomically Disadvantaged Children With a Preschool Intervention: A Randomized Controlled Trial. Rengaging High School Droposts: Engl Results of Hautional Guard Youth ChalleNeCP Program Evaluation. Child Report
Learning environment Class, size Holist	Disadvantaged families Disadvantaged families General Ethnic minorities Ethnic minorities General Disadvantaged families Disadvantaged families Disadvantaged families	Primary education Secondary education Early childhood Secondary education Early childhood Early childhood Early childhood Early childhood Secondary education Secondary education	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santo: Bierman Biorman	2006 2018 2013 2007 2019 2019 2019 2019 2019 2017 2018 2020 2009 2014	After-School multifamiy groups: a randomized controlled trial involving low-income, urban, Latino children Assessment of school-proving schools and risk of adolescent substance use: a natural experiment. Class-Size Effects on Addresents' Mental Health and Well-Beerly in Swedish Schools Depressive symptoms in young adults: the influences of the early hone winforment and early educational child care. Disrupting the school to priom pipeline: Rebt with African-American youth in a school setting. Do comprehensive school forom impact the health of early school severy? Results of a randomized controlled trial. Effects of a prekindergaten educational inferencein on adult health: 37-year follow-up results of a randomized controlled trial. Effects of a prekindergaten educational inferencein-officience and early educational environment and Effects of a prekindergaten educational inferencein on adult health: 37-year follow-up results of a randomized controlled trial. Enriching Preschool Casscoroms and providence States of programming: Sustained Benefits for Low-Income Ohitern Promoting mental health in disadvantaged preschoolers: A cluster randomized controlled trial of teacher training effects. Readucing Addescent Psychopathology in Socioeconomically Disadvantaged Ohitern With a Preschool Intervention: A Randomized Controlled Trial. Reengaging High School Dropouts: Early Results of a randomized controlled Schools Results of Addescentistics a Randomized Controlled Trial.
Learning environment Class_aize Holist	Disadvantaged families Disadvantaged families General Ethnic minorities Ethnic minorities General Disadvantaged families Disadvantaged families General Disadvantaged families	Primary education Secondary education Early childhood Secondary education Early childhood Early childhood Early childhood Early childhood Secondary education Secondary education Secondary education	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santo: Bierman Bioom Wong	2006 2018 2013 2007 2019 2019 2019 2019 2019 2017 2018 2020 2009 2014	After-School multifamily groups: a randomized controlled trial involving low-income, urban, Latino children [®] Assessment of associute to high-performing schools and risk of adolescent substance use: a natural experiment. Class-Size Effects on Adolescents' Mental Health and Well-Being in Swedsh Schools Depressive symptome in young adults: the influences of the early home environment and early educational child care. Disrupting the school to prioms impact the health of early school leavers? Results of a comparative difference-in-difference design. Effects of a previndergarten educational intervention on adult health. 37-year follow-up results of a randomized controlled trial. Enriching Preschool Classrooms and Home Visits with Evidence-Based Programming: Sustained Benefits for Low-income Children Promoting metal health in disadvariaged preschoolser. A cluster andomized controlled trial of teacher training effects. Readult adolescent Psychopathology in Socioeconomically Dasdvaritaged Children With a Preschool Intervention: A Randomized Controlled Trial. Readult school brothor that Network with National Guard Youth Children With a Preschool Intervention: A Randomized Controlled Trial. Reagaging High School Droposts: Early Results of National Guard Youth Children Program Evaluation. Child Report Successful schools and risky behaviors among low-income adolescents.
Learning environment Cass, size dass, size destrial educational enrichmer Cognitive' social skills Learning environment Holistic educational enrichmer Cassroom Teacher quality Cassroom Dropouts Learning environment Teacher quality	Disadvantaged families General Ethnic minorities Ethnic minorities Ethnic minorities General Usadvantaged families Disadvantaged families Disadvantaged families Disadvantaged families General	Primary education Secondary education Secondary education Early childhood Secondary education Secondary education Early childhood Early childhood Early childhood Secondary education Secondary education	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santor: Bierman Bioom Wong Ford	2006 2018 2013 2007 2019 2019 2019 2019 2017 2018 2020 2009 2014 2012	After-School multifamiy groups: a randomized controlled trial involving low-income, urban, Latino children ¹ Assessment of expourse to high-performing schools and risk of addressert substance use: a natural experiment. Class-Size Effects on Addresents' Mental Health and Well-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Discupting the school to prison pipeline: Rebt with African-American youth in a school setting. Do comprehensive school roforms impact the health for early school severa? Results of a comparative difference-in-difference design. Effects of a prekindergaten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Enriching Preschool Classrooms and home Visits with Evidence-Based Programmic; Sustande Benefits for Cuevincome Children Promoting mental health in disadvantaged preschoolers: A cluster randomized controlled trial of teacher training effects. Reducing Addreschool in Schools: The National Guard Youth ChaleNSe Program Evaluation. Full Report Successful schools and risky behaviors among low-income addrescents. Supporting teachers and children in schools: the effectiveness of the incredible years teacher classroom management programme in primary school children: a cluster andomized controlled thin parallel concourcies and units the advision among low-income addrescents.
Learning environment Class.size detass.size detass.size cognitive / eocial skills Learning environment Holistic educational enrichmer Classroom Teacher quality Learning environment Teacher quality Holistic educational enrichmer	Disadvantaged families General Ethnic minorities Ethnic minorities Ethnic minorities General Disadvantaged families Disadvantaged families General Disadvantaged families General General General	Primary education Secondary education Early childhood Secondary education Early childhood Early childhood Early childhood Early childhood Secondary education Secondary education Primary education Primary education	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Bierman Bioom Wong Ford Muennig	2006 2018 2013 2007 2019 2019 2019 2019 2017 2018 2020 2009 2014 2012 2011	After-School multifamily groups: a randomized controlled trial involving low-income, urban, Latino children ¹ Assessment of school production by a controlled trial involving low-income, urban, Latino children ¹ Class-Size Effects on Addresents' Mental Health and Well-Being in Swedsh Schools Depressive symptome in young adults: the influences of the early home environment and early educational child care. Disrupting the school to prison pipeline: Reb with African-American youth in a school setting. Do comprehensive school reforms impact the health of early school leavers? Results of a comparative difference-in-difference design. Effects of a prekindergarter educational intervention on adult health. 37-year follow-up results of a randomized controlled trial. Emching Preschool Classrooms and Home Visits with Evidence-Based Programming: Sustained Benefits for Low-income Collidern Promoting mental health in disadvariaged preschoolers. A cluster randomized controlled trial of teacher training effects. Reaugaing High School Dropost: Early Results of National Guard Vouth ChalleNGE Program Evilation: Life Report Successful schools and risky behaviors among low-income addrescents. Supporting teachers and children is toolos: the deficitiveness and cost-effectiveness of the incredible years teacher classroom management programme in primary school children: a cluster randomised controlled trial. The Carolina Abreckerdadam Project randomized controlled trial.
Learning environment Class.size deuts.aize cognitive docial skills Learning environment Hollstic educational enrichmer Classroom Teacher quality Classroom Dropouts Learning environment Teacher quality Hollstic educational enrichmer Class size	Disadvantaged families Disadvantaged families General tethnic minorities General Disadvantaged families Disadvantaged families General General General General General	Primary education Secondary education Early childhood Secondary education Secondary education Secondary education Early childhood Early childhood Early childhood Secondary education Secondary education Primary education Early childhood Primary education	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santor Bierman Bioom Wong Ford Muennig Wilde	2006 2018 2013 2007 2019 2019 2019 2019 2017 2018 2020 2014 2012 2011 2011	After-School multifamiy groups: a randomized controlled trial involving low-income, urban, Latino children ¹ Assessment of expourse to high-performing schools and risk of addressert substance use: a natural experiment. Class-Size Effects on Addresents' Mental Health and Well-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Discupting the school to prison pipeline: Rebt with African-American youth in a school setting. Do comprehensive school roforms impact the health for early school setters? Do comprehensive school roforms impact the health for early school setters? Effects of a prekindergaten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Effects of a prekindergaten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Effects of a prekindergaten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Reengaging High School Dropouts: Early Results of the National Guard Youth ChaleNGe Program Feschool Intervention: A Randomized Controlled Trial. Reengaging High School Dropouts: Early Results of the National Guard Youth ChaleNGe Program Evaluation. Full Report Supcosting tacchers and children in schools: the effectiveness and cost-effectiveness of the incredible years teacher classroom management programme in primary school children: a cluster randomized controlled trial, the parallel concordinal Arbita Project controlled trial. The effect of an early education program on adult health: The Carolina Abacedarian Project randomized controlled trial.
Learning environment Class.aize deas	Disadvantaged families Disadvantaged families Disadvantaged families Ethnic minorities Ethnic minorities General Disadvantaged families Disadvantaged families General General General General	Primary education Secondary education Early childhood Secondary education Early childhood Early childhood Early childhood Early childhood Early childhood Secondary education Secondary education Primary education Early childhood Primary education Early childhood Primary education	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santo: Bierman Bioom Wong Ford Muennig Wilde Muennig	2006 2018 2013 2007 2019 2019 2019 2019 2019 2017 2018 2020 2014 2012 2011 2011 2011	After-School multifamily groups: a randomized controlled trial involving low-income, urban, Latino children ¹ Assessment of school provinney schools and risk of addresser stubstance use: a natural experiment. Class-Size Effects on Addresents' Mental Health and Well-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Disrupting the school to prison pipeline: Reb with African-American youth in a school setting. Do comprehensive school reform impact the health of early school severy? Results of a comparative difference-in-difference design. Effects of a prekindergaters educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Enriching Preschool Classrooms and Home Vists with Evidence-Based Programming: Sustained Benefits for Low-Income Ohldren Promoting mental health in disadvariaged preschoolser. A cluster randomized controlled trial of teacher training effects. Reeugang High School Droposts: Early Results of Haltional Guard Youth ChaldNeCe Program Eviduation. Juli Report Successful schools and risky behaviors among low-income addiescents. Supporting teachers and children is toolos: the effectiveness and cost-effectiveness of the incredible years teacher classroom management programme in primary school children: a cluster randomized controlled trial, wha parallel economic and process evaluations. The effect of an avid devaluation program on duit healt early classedarian Project trandomized controlled trial. The effect of class size in grades K-3 on adult earlings, employment, and disability status: Evidence form a multi-centre randomized controlled trial.
Learning environment Class. size dess. size dess. size dess. size dess. size constructions and the construction of the Construction of the Class room Dropouts Learning environment Teacher quality Hoistic educational enrichmer Class size	Disadvantaged families Disadvantaged families General tethnic minorities General Disadvantaged families Disadvantaged families General General General General General	Primary education Secondary education Early childhood Secondary education Early childhood Secondary education Early childhood Early childhood Early childhood Secondary education Secondary education Primary education Early childhood Primary education Early childhood	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santor Bierman Bioom Wong Ford Muennig Wilde	2006 2018 2013 2007 2019 2019 2009 2017 2018 2020 2009 2014 2012 2011 2011 2011 2011	After-School multifamiy groups: a randomized controlled trial involving low-income, urban, Latino children ¹ Assessment of expourse to high-performing schools and risk of addressert substance use: a natural experiment. Class-Size Effects on Addresents' Mental Health and Well-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Discupting the school to prison pipeline: Rebt with African-American youth in a school setting. Do comprehensive school roforms impact the health for early school setters? Do comprehensive school roforms impact the health for early school setters? Effects of a prekindergaten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Effects of a prekindergaten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Effects of a prekindergaten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Reengaging High School Dropouts: Early Results of the National Guard Youth ChaleNGe Program Feschool Intervention: A Randomized Controlled Trial. Reengaging High School Dropouts: Early Results of the National Guard Youth ChaleNGe Program Evaluation. Full Report Supcosting tacchers and children in schools: the effectiveness and cost-effectiveness of the incredible years teacher classroom management programme in primary school children: a cluster randomized controlled trial, the parallel concordinal Arbita Project controlled trial. The effect of an early education program on adult health: The Carolina Abacedarian Project randomized controlled trial.
Learning environment Class.size double 22 educational enrichmer Cognitive docalis akills Learning environment Holistic educational enrichmer Classroom Dropouts Learning environment Teacher quality Holistic educational enrichmer Class size Family environment	Disadvantaged families Disadvantaged families Disadvantaged families Ethnic minorities Ethnic minorities General Disadvantaged families Disadvantaged families Disadvantaged families General Disadvantaged families Disadvantaged families Disadvantaged families Disadvantaged families Disadvantaged families	Primary education Secondary education Secondary education Secondary education Secondary education Early childhood Early childhood Early childhood Early childhood Secondary education Secondary education Primary education Primary education Primary education Early childhood Primary education	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santor Bierman Bioom Wong Ford Muennig Muennig Mclaughlin	2006 2018 2013 2007 2019 2009 2017 2018 2020 2009 2014 2012 2011 2011 2011 2011 2017 2018	After-School multifamiy groups: a randomized controlled trial involving low-income, urban, Latino children ¹ Assessment of oxpanue to high-performing schools and risk of addressent substance use: a natural experiment. Class-Size Effects on Addresents' Mental Health and Well-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early home environment and early educational child care. Disrupting the school to prison pipeline: Rebt with African-American youth in a school setting. Do comprehensive school forom: Impact the health of early school severy? Results of a comparative difference-in-difference design. Effects of a prekindergaten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. Enriching Preschool Classrooms and home Visits with Evidence-Based Programming: Subtande Benefits for Cuevincome Ohidren Promoting mental health in disadvantaged preschoolers: A cluster randomized controlled trial of teacher training effects. Beaducing Addresent Psychopathology in Socioeconcomically Disadvantaged Ohidren with a Preschool Intervention: A Randomized Controlled Trial. Reenganging High School Dropouts: Early Results of the National Guard Youth ChaleNGe Program Evaluation. Full Report Successful schools and risky behaviors among low-income addresents. Supporting teachers and children in schools: the effectiveness and cost-effectiveness of the incredible years teacher classroom management programme in primary school children: a cluster andomised controlled trial, the paralle decome addresents. The effect of an early education program on adult health: The Carolina Abacedarian Project randomized controlled trial. The effect of sciess on ontilly through age 29 years: evidence from a multi-center randomized controlled trial. The infect of small class is und prade Sci and and the meen evinonment on early addresent merital health.
Learning environment Class.size dotas.size constitué accial skills constitué accial skills Learning environment Holistie dotactional enrichmer Classroom Propouts Learning environment Teacher quality Holistie dotactional enrichmer Class size Family environment Cass size Family environment Curriculum	Disadvantagen families Disadvantagen families General Ethior innointies Ethior innointies General Disadvantaged families Disadvantaged families General Disadvantaged families General General General Disadvantaged families General General Disadvantagen families General	Primary education Secondary education Secondary education Secondary education Enrly childhood Enrly childhood Enrly childhood Enrly childhood Secondary education Enrly childhood Primary education Enrly childhood Primary education Enrly childhood Primary education Enrly childhood Primary education Enrly childhood	McDonald Dudovitz Jakobsson McLaughlin Kaplan Delaruelle Muennig Bierman Seabra-Santo: Bierman Bioom Wong Ford Muennig Mclaughlin Humphrey	2006 2018 2013 2007 2019 2009 2017 2018 2020 2009 2014 2012 2011 2011 2011 2011 2011 2017 2018 2019	After-School multifamily groups: a randomized controlled trial involving low-income, urban, Latino children ¹ Assessment of school approximals pachods and risk of addisectari substance use: a natural experiment. Class-Size Effects on Addisecents' Mental Health and Well-Being in Swedish Schools Depressive symptoms in young adults: the influences of the early hone environment and early educational child care. Disrupting the school to prison pipeline: Reb with African-American youth in a school setting. Do comprehensive school reform impact the health for early school average? Results of a comparative difference-in-difference design. Effects of a prekindergaten educational intervention on eduit health: 37-year follow-up results of a randomized controlled trial. Enriching Preschool Classrooms and Home Visits with Evidence-Based Programming: Sustained Benefits for Low-Income Children Promoting mental health in disadvantaged preschoolers: A cluster randomized controlled trial. Reeugang High School Droposts: Early Results of the National Guard Youth ChaldNoCe Program Evialution. Tuli Report Successful schools and risky behaviors among low-income addisectets. Supporting tacchest and children in schools: the effectiveness and coult-effectiveness of the incredible years teacher classroom management programme in primary school children: a cluster randomized controlled trial, wha parallel economic and process evaluations. The effect of an exide class sizes on maratike trink cardinal scheduring yistatus: Evidence form a multi-center randomized controlled trial. The effect of class size in grades K-3 on adult earnings, employment, and disability status: Evidence form a multi-center randomized controlled trial. The effect of class size in grades K-3 on adult earnings, employment, and disability status: Evidence form a multi-center randomized controlled trial. The effect of class size in grades K-3 on adult earnings engloyment, and disability status: Evidence form a multi-center randomized controlled trial. The effect of clas

Table 2 Overview of included studies

3.3. Outcomes

Health Measures

Two-thirds of the included studies (n=17, 68%) measured mental health (including depression and anxiety). One quarter (n=7, 28%) measured risky behaviours such as substance abuse. The third most studied outcome was somatic or physical symptoms of illness, such as dizziness, headaches, and stomachaches (n=3, 12%). Social skills, overall health, and hospitalizations were each in two studies (n=2 times 3, 8% each category). Only one study used mortality to measure the health effect of the intervention (4%).

Method of measurement

Fourteen of the studies were conducted using questionnaires reported by someone other than the study individual (teachers, mental health counselors, parents, program assistants) (56%). Sixteen studies used self-reported data from the individuals in the study population (64%). Two studies used records gathered from databases such as the Social Security Administration (SSA) in the US or death certificates.

Patterns based on education level- Early Childhood Interventions

Eleven studies were conducted in the "early childhood" category, meaning the interventions targeted children from infancy to school age (kindergarten, or about age 5/6). Among this education level, almost every intervention saw positive results within their treatment group. ABC's results across their multiple studies showed that more individuals in the treated group rated themselves having excellent health, as well as reduced risky behaviours and rates of depression. Additionally, individuals in the ABC intervention group began smoking later and tried marijuana later than their control peers, had a more active lifestyle than their control peers, and reported less use of marijuana than the control group. One ABC study found no significant difference in mental health between their treated and control groups. PPP also showed positive results, with their intervention group reporting better overall health.

Similar to ABC, Project CARE's intervention group reported lower internalizing symptoms (depression, anxiety, sadness), a more active lifestyle, and a reduction in reported use of marijuana, compared to their control group. When comparing the intervention-specific interaction against one another, the size of the intervention/control group difference was significant, being five times greater in CARE than in the ABC study.

Despite showing some positive initial results with intervention groups reporting lower levels of anxiety and depression within their first follow ups, neither the Savsjo nor the IY-TCM intervention groups had sustained effects at their final follow ups. Additionally, the greatest reduction in the IY-TCM intervention group was found among children who had reported higher levels of mental health problems at their baseline, compared to children who had reported normal levels at their baseline.

Patterns based on education level- Primary School Interventions

Primary, or elementary school, was the target for eight of the studies. The results across the multiple interventions in this category do not show a consistent pattern. The 4R program had a positive association between intervention and health, meaning treated students reported less symptoms of depression after their intervention. FAST teachers rated their children with having more social skills and less aggressive behaviour than their FAME counterparts, though no significant difference was found regarding mental health changes in both interventions. Among the many Head Start programs, there were many mixed results. Initially, similar to Savsjo and IY-TCM, the PATHS program showed better psychological wellbeing for their intervention groups- but were not sustained through their follow ups. The Chicago School Readiness Project showed no significant

impact on their intervention group. Though many studies have been conducted showing the positive impact of smaller classrooms(19), Project STAR reported a higher mortality rate among their students in smaller classrooms through age 30. The authors hypothesized that this may be because the treated children were more extroverted, thereby exposing themselves to drinking, accidents, drownings, and firearms.

Patterns based on education level- Secondary School Interventions

Six studies took place during secondary, or high school. Similar to the results of the primary school interventions, the secondary school interventions also saw mixed results. Unlike the above-mentioned result in the primary school study on class size and increased mortality, the study conducted by Jakobsson (2013) showed no significant difference between class sizes and health. Both studies examining the health effect of being admitted to a higher performing secondary school reported less risky behaviour among their lottery-winning students. The large study conducted on EU tracking reforms in secondary school showed early school leavers reporting worst health than intermediate/higher educated groups, the gap between health increasing after implementation of the reform, and lastly the health of the intermediate/higher educated groups increasing with the raising of tracking age but decreasing for early school leavers. Similarly to Savsjo, IY-TCM, and PATHs mentioned above, the ChalleNGe program also ended up with mixed results. Although their intervention group showed an increase in health initially at the 9 month follow up, not only were these results not sustained, but they worsened as the intervention progressed, resulting in the intervention group having more overweight members than the control. As for risky business, again the intervention group initially saw less delinquency and convictions at the 9 month follow up, but ended up having no sustained effect, reporting a higher percentage of ever trying illegal drugs (besides marijuana), and showing no significant difference between alcohol and drug use between the intervention and control groups. The last secondary school intervention, REE, had similar results to ChalleNGe, with their intervention group having higher rates of depression and anxiety, and continuing to increase as the intervention progressed.

Table 3 Study characteristics and key results

Publication	Study Design	Sample size	Education level	Start of intervention	Country	Time frame being measured	Intervention	Health Outcome being measured	Method of measurement	Results
Jones et al. (2010)	RCT	Intervention- 515 Control- 427	3rd	Primary education	USA	Baseline - Autumn 2004 Follow up- Spring 2005	4R Intervention Program vs regular classroom (control)	Depression	Questionnaire, self-reported	Children in the intervention group reported significantly lower levels of depressive symptoms in spring 2005 compared to those in the control
Sutton (2020)	RCT	1803	3rd & 4th grade	Primary education	USA	Cohort 1: Baseline- Autumn 2015 Final follow up: Spring 2017 Cohort 2: Baseline- Autumn 2016 Final follow up: Spring 2016	4R + MTP Intervention Program vs regular classroom (control)	Depression & Aroliety	Behavioural Assessment System for Children (BASC) Internelizing Composite Scale	group. Classrooms were categorized into high risk, at risk, and low risk profiles based on social quasilomair results and academic portormance. The at-risk category had the highest proportion of chiefern at risk for depression and anxiety among the 3 categories.
Li-Grining, Haas (2010)	RCT	602	Preschool	Primary education	USA	Baseline- Preschool Follow up- Kindergarten	Chicago School Readiness Project vs regular classroom (control)	Social competence (anger, social skills, anxiety)	Social Competence and Behavior Evaluation (SCBE-30)	No significant impact of intervention on children's social competence.
Campbell et al. (2012)	RCT	Baseline-111 Follow Up-101	Early infancy child care facility (6 weeks old - 5 years old - mean entry age was 4.4 months)	Early childhood	USA	Intervention lasted from early childhood to grade 2, follow ups conducted at age 21 and 30	Abecedarian Project (ABC)- full time certer-based child care and educationsi services from infancy until kindergarten entry vis regular classroom (control)	Montal health, Substance abuse, and Health status	Mental health- Achenbach System of Empirically Based Assessment Adult Self Report and Adult Bethavior Checklat Substance Buses- Behavioral Risk Factor Surveillance System Questionnaire Health statue-self rated on a 5 point scale from excellent to poor	Among the final follow up at age 30, there were not differences among timeted and control group reports. In terms of metrical healt, there was no treated group had a slightly large exercises of microlasks rele there health as "excellent" compared to the control group (RK's and SR)r respectively, there was no significant difference.
McDonald et al. (2006)	RCT	473 (FAST = 272 and FAME = 201)	1st - 4th grade	Primary education	USA	After exposure to the program, first- and second-year follow-up data were collected for both interventions	Families and Schools Together (FAST) or Family Education (FAME)	Depression & Arcely	Teachers Report Form (TRF) of the Child BebaviarChecklist (CBCL) & the Social Skills Rating System (SSRS)	Though there were no significant differences between depression and anxiety between children in the FAST vs FAME intervention, teachers rated students assigned to FAST as having significantly more social skills and leas aggressive behavior in the classroom than those in the FAME group.
Dudovitz (2018)	Quasi- Experiment	1270	8th/9th grade - 11th grade	Secondary education	USA	Data were collected from March 11, 2013, through February 22, 2017	Admission lottery into high performing high schools vs lottery losers (control)	Risky health behaviours (marijuana use, alcohol use, sexual activity, and delinquency	Questionnaire, self-reported	The intervention group reported less marijuana misuae than the control group as well as having fewer substance-using peers. Despite no significant difference among gifs in both groups, boys in the intervention group reporter significantly lower marijuana and alcohel use than the control group.
Jakobsson (2013)	Observational	2755	9th grade	Secondary education	Sweden	Cross-sectional data collected in April 2008	Class size	Anxiety, Sadness, Dizziness, Headaches, Stomachaches	Questionnaire, self-reported	There was no significant difference according to class size on the prevalence of mental health issues and well-being among the students.
McLaughlin (2007)	RCT	111	Early infancy child care facility (6 weeks old - 5 years old-mean entry age was 4.4 months)	Early childhood	USA	Intervention lasted from early childhood to grade 2, follow ups conducted at age 21 and 30	Abecedarian Project (ABC) - full time center-based child care and educational services from infancy until kindergarten entry vs regular classroom (control)	Depression	Questionnaire, self-reported (Brief Symptom Inventory)	Oldden in the intervention group reported fever depressive symptoms than those in the control group. Results were statistically significant.
Kaplan (2019)	RCT	Baseline- 21 Follow up- 19	High School (aged 14 to 18)	Secondary education	USA	Baseline-winter of academic year of enrolment, follow up after 12 weeks	Rational Emotive Education (REE) twice per week for 12 weeks	Substance use/abuse, physical and mental health (depression and anxiety)	Self reported using the Problem Oriented Screening Instrument for Teenager (POSIT), as well as the Beck Youth Inventories (BYI-2)	Self-reported symptoms of depression and anxiety were higher in the follow up for the intervention group compared to their baseline data collection. Only oppose had a greater increase in depression and enxiety symptoms compared to the control group.
Publication	Study Design	Sample size	Education level	Start of intervention	Country	Time frame being measured	Intervention	Health Outcome being measured	Method of measurement	Results
Detaruelle (2019)	Quasi- Experiment	220,408	Varied (Early school leavers- up to lower secondary education, Intermediate educated- upper secondary educated- post secondary or higher	Secondary education	EU	Birth year 1927 - 1985 Follow up-2016	Difference-in-difference approach that compares changes in health disparities between two groups of birth cohorts in countries with inacking reforms and those without (micro-level data from eight waves) of the European Social Survey (bienviai cross-excitonal survey 2002-2016)	Overall health	Single question, self reported "How good is your health in general?"	Early school leavers reported worse health than the intermediate and higher educated groups. The gap in earl-reported health between early school howens and these will upper socion/springering education increased sightly after the ingelementation of the tracking reform. The health of the intermediate and sight educated groups school with ansing the tracking eage, toxi decreases for early school leavers.
		220,408	school leavers- up to lower secondary education, Intermediate educated- upper secondary education, Higher educated- post secondary or		EU USA	Birth year 1927 - 1985 Folow up- 2016 Intervention lasted 2 years. Folow ups were also conducted at sign 27 and 40.	that compares changes in health disparities between two groups of birth cohorts in countries with tracking reforms and those without (micro-level data from eight waves of the European Social Survey (bienniai cross-sectional survey)	Overall heath Multiple heath outcomes (3ef reported, disguosed conditions, tertary care use, preventative care, drag use)	your health is general?" Self responsed as a combination of 3 biarry variables: excellent or very good self-ated	educated groups. The gap in self-reported health between early school leavers and those with upper secondary/tertiary education increased sightly after the implementation of the tracking reform. The health of the intermediate and hisher educated groups increased with raising the tracking
(2019) Muennig	Experiment		school leavers- up to lower secondary education, Intermediate educated- upper secondary education, Higher higher	education		up- 2016	Init compress changes in heads departies between two group of beth cohorts in countries with incohorts in countries with incohorts in countries with thready reform a discolid Survey 2002-2016) High/Scoge Perry Preschool Program (PPP) - 2.5 hours of Hierarchie academic heats.cotin day coupled with 1.5 hour weeks) howe with a registra classroom	Multiple health outcomes (Self reported,	your health is general?" Self resported- Overal health status was assessed as a combinition of 3 binary variables: excellent vory good alf-radie health, statignergi work as a real of poor health, end program and a static static static binary indicators.	educated gruges. The gap is nell-reported health between early scool howers and those will upper socied/springer valuation increased sightly after the ingelementation of the tracking reform. The health of the intermediate and springer valuation of the storage of the insching age, but decreases for early school known. Participants in the intervention group scooled sightfoartly topics then the control group on the owerit measure of health status. Thogh the invervention group halow refise of monative all Bibbool to earge in this invervention group halow refise of monative all Bibbool to earge in this
(2019) Muennig (2009) Bierman et al.	RCT	123	school leavers- jour to lower secondary education, Intermediate education, Higher education, Higher education, Higher education, Higher	education	USA	up- 2016 Infervention lasted 2 years. Follow ups were also conducted all age 27 and 40.	Inte compares changes in heads indeparties between two groups of beth cohorts in coarties with calcular informs and those without of the European Sociel Survey 2002–2016) High/Stope Peny Preschol Program (PPP) - 2.5 hours de High/Stope Peny Pension (Control)	Multiple health outcomes (Bell reported, disgraded conditions, fortrary care use, preventialitie care, drag use) Mercial health	your health is general?" Self resported- Overal health status was assessed as a combinition of 3 binary variables: excellent vory good alf-radie health, statignergi work as a real of poor health, end program and a static static static binary indicators.	elucated gruges. The gap is nell-reported health between early scoold where we take the logismetration of the insiding refers. The health of the end to be a scoold of the insiding refers. The health of the end of the insiding refers to the insiding end of the insiding refers to the insiding refers to the insiding end of the insiding refers to the insiding refers to the insiding how the insiding register to the insiding referse to the insiding how the insiding register to the insiding referse to the insiding referse the insiding register to the insiding register to the insiding referse to the part of the insiding register to the inside register to the insiding register to the
(2019) Muerreig (2009) Bierman et al. (2017) Gesbra- Santos et al.	RCT	123	school lavers- up to bare secondary educator, light educator, light educator, light Preschool Preschool	education Early chidhood	USA	up- 2016 Information lasted 2 years. Follow ups when also conducted at age 27 and 40. Followup data on child autoromes were collected 30 Freiburg second grade Baseline - Auturn 2015	The compares changes in heads lightline between too group of light optimis between too group of light optimis between too group of light optimises and light optimises and of the European Sociel Survey 2022-2016) Head State of the State of the Pages of the European Sociel Survey 2022-2016) Head State of the State of the Pages of the State of the Pages of the State of the State of the Pages of the State of the Pages of the State of the State of the State of the Pages of the State of the State of the State of the Pages of the State of the State of the State of the Pages of the State of the State of the State of the Pages of the State of the State of the State of the State of the Pages of the State of the State of the State of the State of the Pages of the State of the State of the State of the State of the Pages of the State of the Pages of the State of	Mutiple health eutoones (Self reported, disguosed conditions, tertary care use, preventative care, drag use) Mercal health Arcelety Emotional symptoms (vorred, urbagoy,	your health is general?"	elucated gruge. The gap is and-sported health between early stocid there and the set larger second/privative stacture increased sighty after the ingeneration of the tracking reform. The health of the enerative second state of the tracking reform. The health of the enerative second state of the tracking reform the inacting age, but decreased for early school leaves. Participants in the intervention group scored significantly higher than the control group on the overall measure of health sittats. Though the there write group has been refered on reality as billiood to engage in high behavior, results were not significant, statisted benefits for states as not are the track-refered measures (basevore pare problems). The IEE/LP + I

Publication	Study Design	Sample size	Education level	Start of intervention	Country	Time frame being measured	Intervention	Health Outcome being measured	Method of measurement	Results
Wong et al. (2014)	Quasi- Experiment	530	8th/9th grade - 12th grade	Secondary education	USA	Recruited in 8th/9th grade, analysis 10th-12th grade	Admission kitlery kito high performing high schoole va kitlery losens (control)	Risky behaviours (use of tobacco, alcohol, marijuana, and other drugs in the past 30 days, bing driving, sichoit use is school, any drug use (excluding marijuana), carrying a weegon to school in the past 30 days, gang membership in the past 12 months, contranception, and alcohol or drug use with sex in the past 90 days.	Questionnaire, self-reported	These was no significant difference between the Harverkies and coticd proportion of the rativy behaviours specifically. There was a signify higher proportion of the control graps shaders engaging is 1 or more of the 11 way why behaviour, compressed to the Harverkies graps. The Harverkies effect is engaging in very raily behaviour was higher among those in the control graps compared to the intervention graps.
Ford et al. (2019)	Cluster-RCT	Baseline- 2075 Last foliow up- 1804	Year 1-4 (Kindergarten - 3rd grade)	Primary education	England	Baseline- autumn of the first year of enrolment (cohort 1: 2012, cohort 2: 2013, cohort 3: 2014), Follow up at 9, 18 and 30 months	Incredible Years teacher classroom management (IY-TCM) + economic and process evaluations vs regular classroom (control)	Well-being and mental health	Questionnaire completed by the child, parents and teacher completed the Strengths and Difficulties Questionnaire (SDQ)	Oritism in the intervention group showed improved mental health according to the teacher-reported quasitionmate at the 9 month follow up, but not at the 9 and 30 month follow up. Specifically, the greatest naturation in the SDD was for those ohibitm identified by their teachers as strugging with their mental health at the baseline, compared to children where not identified as strugging at the baseline.
Muennig et al. (2011)	RCT	Baseline-111 Follow Up-104	Early infancy child care facility (6 weeks old - 5 years old-mean entry age was 4.4 months)	Early childhood	USA	Intervention lasted from early childhood to grade 2, follow up conducted at age 21	Abecedarian Project (ABC)- full time center-based child care and educational services from infancy until kindergarient entry vs regular classroom (control)	3 health measures (self-reported health problems since 15 years of aga, depression, and number of hospitalizations in the past year) and 11 measures of behavioral risk factors (traffic safety, dug use, and access to primary care).	Depression was measured using the Brief Symptom Inventory	Individuals who notaived the ABC treatment had significantly better health and reaced behaviourin risk factors by the age of 21. Madda, hohidash in the intervention group protection and even that there typage negativy smoking, as well as when they first tried margiane.
Wilde et al. (2011)	RCT	6325	Kindergarten - 3rd grade	Primary education	USA	Intervention lasted 4 years (1985-1989), follow up measurements collected between 1997-2008 (ages 18-28)	Project STAR (Student Teacher Achievement Ratio) small class size (13–17 students), regular class size (22–25 students) or regular classes with a certified teacher's aide.	Disability	Linked records to Social Security Administration (SSA) disability data	There were no significant differences between the intervention and control groups in respect to overall discressed disability or disability for any sub-group or in any year of adulthood.
Muennig et al. (2011)	RCT	6325	Kindergarten - 3rd grade	Early childhood	USA	Intervention lasted 4 years (1985-1989), follow up measurements collected between 1997-2008 (ages 18-28)	Project STAR (Student Teacher Achievement Ratio) small class size (13–17 students), regular class size (22–25 students) or regular classes with a cert/fied teacher's aide.	Mortality	Linked records from Project STAR to death certificates using unique identifiers callected from STAR participants prior to randomization	Onliden assigned to small classes had significantly higher mortality than those assigned to regular classes over the 22 years of follow-up. There was a statistically significant decrease in mortality for every additional student in class.
McLaughlin (2007)	RCT	Abecedarian Project: Baseline- 111 Follow up 99 CARE Project: Baseline- 62 Follow Up-36	Infancy until kindergarten entry	Early childhood	USA	Intervention lasted from early childhood to grade 2, follow up conducted at age 6, 18, 30, 42 and 54 months of age, and finally 12 years of age	Absociarian program (ABC) (4 cohorts - 1) preschool irrestmert group, 2) preschool control group, 3) preschool treatmert pila school- age control group, 4) preschool control pila school-age treatmert group) Project CARE (2 cohorts - 1) a child care chorta-si pila child care chorta-si pila child care chorta-si pila child care treatmert group, 2) and a control group.)	Mertal Hwith & psychological well-being (depression/anxiety, somatic completes)	Questionnaire-self reported, teacher and parent reported uaire pline Olde Behavior Decektal (CEOL, Bar Harmo Olderwinder Caroline Control (Caroline Control (Caroline Control of the Measurement Markov) (HOME)	There was no significant difference in parent-reported internations symptoms between the two intervention types (CARE and ABC). Individuals who needed ablem ore of interventions reported box internations symptoms than those in the respective control groups.

Publication	Study Design	Sample size	Education level	Start of intervention	Country	Time frame being measured	Intervention	Health Outcome being measured	Method of measurement	Results
Humphrey et al. (2018)	Cluster-RCT	5218	Year 3-5 (2nd - 4th grade)	Primary education	England	Baseline at start of intervention, annually during the 2 year study period, then 12 and 24 months post-intervention	PATHS curriculum (which aims to promote self-control, emotional understanding, positive self- esteem, relationalities and interpersonal problem-sofving skills among 4- to 11-year-old children) vs regular classroom (control)	Mental health & psychological well-being	Questionnaire completed by the child on psychological wellbaing (Kdacreen-27), parents and teacher completed the Strengths and Diffouties Questionnaire (SDQ)	A small but statistically significant improvement in children's psychological webbing uses stallay found in the streneticin group. However, these results seen not maintained through the 12 and 24 month follow up.
Ahkqvist et al. (2019)	Cluster-RCT	177	Preschool - 3rd grade	Early childhood	Sweden	Preschool start, end of grade 3	Sálvajó project- alternative curriculum (based on the old principies of curative education ("Helpädagogio"), educational psychology and school psychiatry previously used in the Swedish Public School)	Dapression & Anxisty	Questionnaire-self reported, teacher and parent reported using the Child Behavior Checkist (CBCL) as well as a questionnaire on ADHD according to DSM- IV	The children is the control group showed significantly more symptoms of anxiety and depression at achord-start compared to the intervention group. By the end of grade 3, no differences were found among the two groups.
Ford et al. (2019)	Cluster-RCT	Baseline- 2075 Last foliow up- 1804	Year 1-4 (Kindergarten - 3rd grade)	Primary education	England	Baseline- Autumn of intervention year Follow up- at 9, 18, and 30 months	Incredible Years teacher classroom management (IY-TCM) vs regular classroom (control)	Mental health	Questionnaire completed by the child, parents and teacher completed the Strengths and Difficulties Questionnaire (SDQ)	IY-TCM improved children's merital health at the 9 month follow up, but not at the 16 or 30 month. A subgroup of children who were classified by their teacher as strugging with their merital health at baseline had significant improvements at 30 months but not 18.
Campbell et al. (2008)	RCT	Abecedarian Project:Baseline: 111 Folow up: 104 CARE Project:Baseline- 66 Foliow Up- 60	Infancy until kindergarten entry	Early childhood	USA	Intervention lasted from early childhood to grade 2, follow up conducted from 20-25 years old	Abecedarian (ABC) center-based intervention vs regular classoom (control), Project CARE center- based intervencin plus family education treatment, CARE family education treatment alone, regular classroom (control)	Health, safety, and social maladjustment	Interview & various questionnaires including the Yoshi Risk Taking Survey (covering bishvions affecting the health of young people such as des, physical activity, using adorncelle seat best, anciding substance abuse, and avoiding arti-social behavions)	also significant, with the size of the intervention/control group difference being 5 times greater in CARE than in the ABC study. The CARE group

4. Discussion

Twenty-five studies were included in this review which assess the health impacts of education quality interventions from around the world. Thirteen out of the 25 studies reported statistically significant associations between education quality interventions and health outcomes (52%). Eight studies found no significant results between their intervention and control groups (32%). The remaining four studies showed mixed results- mostly of significant results during their initial follow ups, but nothing sustained (16%). The highest proportion of significant results came from early childhood interventions (n=7/11, 64%). Primary and secondary education level interventions each had three significant studies (n=3/8, 38% and n=3/6, 50% respectively). As for studies with mixed results, there were two within the primary education intervention category, and one each in early childhood and secondary

school intervention. Based on these results, interventions conducted in early childhood yielded the most successful results.

Peter Muennig speculates that this could be because children who perform better academically early in life are more likely to be tracked into more advanced placement classes later in life, which results in more opportunity to get into a competitive university(1). Furthermore, being tracked into more advanced courses can also lead to non-cognitive pathways for success through being in class with students more likely to work hard, not abuse drugs or alcohol, and motivate one another to continue to excel(1). Figure 2 below is Muennig's framework illustrating some of the ways that a high-quality educational intervention at an early age can improve health over the course of a child's lifetime. Shaded boxes represent evidence-supported causal relationships, while unshaded boxes are supported links by correlation alone. Single arrows represent correlation, while double arrows represent causation.




Figure 2 Conceptual pathways through which education works to improve health

The most frequently used health outcome measure used throughout this review was mental health (n=17, 68%). When reflecting on why the majority of the studies chose to assess the impact of these interventions on mental health, one explanation could be the role that mental health plays in overall health. According to the CDC, mental illness may increase the risk for many types of physical health issues, especially chronic ones such as stroke, heart disease, and diabetes(20). Additionally, Virginia Commonwealth University's Center on Society and Health explains that because people with higher levels of education typically hold higher paying jobs, they are often safe from economic hardships or stresses that could cause deteriorating health (21). Chronic exposure to these psychological stresses has been coined "allostatic load", and over long periods of time shows an association to diseases such as asthma, cardiovascular and gastrointestinal infections, and higher mortality(21). Another

reason could be the reverse effect that mental health plays on educational attainment. The Association for Children's Mental Health, an American advocacy group, states that only about 40% of students with a mental health disorder graduate from secondary school, compared to the US average of about 76%, and over 50% of students aged >14 drop out of secondary school(22). Risky behaviour was the second most used measurement of health (n=7, 28%), which makes sense as by definition, risky behaviour is an activity that increases the risk of disease or injury.

The most widely used method of measuring the above-mentioned health outcomes was via self-reported questionnaires (n=16, 64%). There are both many advantages as well as disadvantages in using this method. A key advantage is that it is simple and easy to use, requiring little to no need for additional staff to administer. Additionally, they are easier to compare and analyze. However, self-reported questionnaires are more likely to be subject to various biases and limitations such as ability for participants to assess themselves accurately and response bias or dishonesty. Just over half of the studies also used questionnaires administered by staff or teachers (n=14, 56%). By using trained staff, we are able to reduce the level of bias, and gain more accurate results. Two studies used data collected from the Social Security Administration, which comes with its own limitations, as some students may be unregistered and not have a Social Security Number.

The interventions conducted during early childhood (before kindergarten matriculation), saw the most positive results. Until their most recent follow up in 2014, ABC had been measuring health outcomes of their participants via questionnaires. They found that individuals in the intervention group benefitted from greater overall health than their control peers, as well as started smoking later in life. In their most recent follow up in 2014, ABC investigators decided to analyze blood samples of their participants and reported that those who had been in the intervention group had lower rates of pre-hypertension in their mid-30s, and lower risk for coronary heart disease within the next ten years(23). Furthermore, males in the intervention group had lower incidences of hypertension, obesity, and risk of diabetes and stroke. As ABC states in their most recent follow up report, this is the first time (to their knowledge) that biomarkers, as opposed to questionnaires, were used to assess health. This could be a new method of measuring health status, in addition to the qualitative questionnaires. Project CARE, PPP, and Head Start also saw positive results.

Both IY-TCM and Savsjo reported initial success among their intervention groups experiencing better health compared to their control groups, though neither study saw sustained results. The researchers from the IY-TCM study speculate that the lack of sustained results could be caused by the relatively short duration of the intervention, as well as the single-teacher training approach, as opposed to a whole-school training approach. They conclude by anticipating a larger affect in the years to follow the intervention, when teachers are able to use and apply the skills they obtained in their training to their future classes. As for the Savsjo school project, researchers speculated that the initial success of the program could be due to the efforts made by the intervention group teachers in anticipation for the school year, which decreased as the intervention continued, leading to no difference between mental health issues among the intervention and control group. In addition, they state that their small sample size could have also affected these results.

Throughout all the early childhood interventions mentioned, a common success factor was the implementation of a family education program coupled with the school-based intervention. This can be seen in PPP, ABC, Project CARE, the Brookline Early Education Project, and the Child-Parent Center and Expansion Program(1). These results are supported by the literature(24)(25)(26). As the University of Wisconsin explains, this is because of the role that parenting plays in shaping the quality of a child's development, which includes their cognitive skills and health. This can explain why the most successful studies in this review were coupled with parenting education, to strengthen and support the home environment. Programs with parent-educational services reported better physical and emotional development of the children in intervention groups, as well as reduced youth substance abuse and rates of child abuse and neglect(27)(28)(29).

Elementary level educational interventions also had some significant results. The 4R program found statistically significant results among only two out of thirteen outcomes being measured. These included lower levels of children's hostile attributions and depression compared to the control group after the one year follow up. The researchers stated that they expect long term spillover effects for the depression outcome, particularly after more years of exposure to the program. The idea of more exposure to the intervention causing more lasting effects has also been a commonality among many of the studies in this review. In the FAST versus FAME study, investigators reported the FAST group as having more social skills and less aggressive behaviour compared to FAME. As discussed in the section about early childhood education interventions above, this could be due to the fact that the FAST program had a school and home-based component, compared to FAME's parent take-home pamphlets.

Head Start also saw some mixed results throughout their elementary level interventions. PATHS reported initial statistically significant improvements in children's psychological

xxiv

wellbeing, however they weren't sustained through their two year follow up. Additionally, they found that moderate and high levels of implementation were associated with the largest improvements in psychological well-being. The Chicago School Readiness Project did not report any statistically significant differences among their intervention and control groups.

One particularly interesting result came from Muennig et al.'s Project STAR intervention in 2011. Although students randomized into smaller classrooms scored higher cognitive measures than the control group, mortality rate was higher for the intervention group through age 29 than the control. As explained by the researchers, there was also evidence of a dose-response effect between the total exposure to the intervention as well as the number of children in the class, which strengthens the evidence for a causal association. This is a very important result and point because it challenges studies with opposing results (Lleras-Munet 2005), policies, and regulations centered around class size limits.

When class size was investigated in a secondary school setting in the Jakobsson study, there was no significant differences in mental health problems and well-being according to classroom size. One of the reasons speculated by the investigators is that larger classrooms increase the likelihood of making friends, which could act as a protective factor against mental health issues. Expanding on the subject of classroom environment, two of the secondary education studies investigated the impact of low-income students being enrolled in high performing schools. Both studies found statistically significant results of their intervention groups having lower dropout rates and rates of engaging in risky behaviour. The researchers speculate that this could be due to a number of reasons: that better cognitive skills lead to better health through better knowledge of health and healthy decision making through academia, that higher performing schools are more likely to have a smaller population of "risky peers", that higher academic achievement would motivate students for a better future outlook, and that being in a school that required more work may leave less time to engage in these risky behaviours(30). The last secondary school intervention investigating school environment was a difference in difference design, examining the effect of policies delaying tracking age on health inequalities according to level of education. They found that reforms oriented toward comprehensive schooling improved health for those with secondary and tertiary education, but not those with lower levels of education (31). Therefore, delaying tracking age is negatively associated with the health outcomes of early school leavers. Additionally, they found that the gap of health inequality between early school leavers and higher educated groups is larger in countries with more comprehensive schooling systems compared to countries with earlier tracking systems. They speculated that early school leavers in countries with more comprehensive schooling systems may suffer more from

XXV

deprivation (and health related consequences) as compared to early school leavers in countries with highly tracked schooling systems, as they have spent more of their formative years in school around higher performing students. This may be caused by an adverse effect of trying to create an "equality of opportunity", which in turn creates expectations that may not be met, and cause feelings of disappointment and frustration for the lower performing students who end up becoming early school leavers(31).

The last of the secondary school interventions were aimed at reducing disruptive behaviour in at-risk African-American males through the use of Rational Emotive Education (REE), and reengaging high school dropouts through the ChalleNGe Program. The REE intervention group found mixed results. In regard to behavioural incidents, students in the intervention saw a larger reduction in disruptive behaviour over the course of the treatment than the control group. On self-reported measures, students in the intervention group reported an increase in depression, anxiety, and anger, which contradicts the literature and prior research done using cognitive-behavioural interventions(32). The researcher's explanation for the latter result is that the students probably gained skills that developed their self-awareness and ability to identify emotions throughout the treatment, and maybe weren't so honest in their pre-treatment self-reporting(32). Again, this is a limitation and something to be taken into consideration when using self-reported questionnaires to measure health outcomes.

The final secondary education study was the ChallenNGe program, which like REE, found mixed results. Although intervention group members initially saw positive health benefits and decreased delinquencies and convictions at the first follow up at 9 months, these results were not sustained at the three year follow up. In fact, by the three year follow up, more intervention group members were categorized as overweight than the control group. Rates of substance use was also similar across intervention and control groups, though a higher percentage of intervention group members reported ever having tried illegal drugs besides marijuana. Program investigators report that many of the individuals in this study claimed that they struggled to maintain progress after they left ChalleNGe, which could explain why the three year results were not positive. In the post-intervention interviews at the three year follow up, many of the program members stated feeling an abrupt end to support upon the completion of the program, and could have benefited from more consistent and sustained mentoring. According to Deborah Caldwell et al., about 50% of mental health issues begin by mid-adolescence (age 14-17), which could also help explain the insignificant and mixed results coming from the secondary education group interventions, and why interventions implemented earlier on in a child's life could prevent these issues from developing (35).

5. Strengths and Limitations

This systematic literature review on the health impacts of education quality interventions is one of the first of its kind. Reviews like this can be used to better investigate and develop and alter educational interventions, as well as influence educational policies. A limitation of this study is how broad the topic was, incorporating all levels of education and health outcomes. However, by keeping our main outcomes of interest broad, we were able to include a wide range of outcomes and get a big picture idea of the kinds of impact education can have on health, which I would argue ended up being a strength. Another limitation would be the mixed results obtained, which require further study. Despite these limitations, the methodological approach and extensive literature search enabled us to find the most relevant studies for this review.

6. Conclusion

Education has become one of the most important socio-economic factors that effects health. Having a better quality and longer education leads to higher job attainment, income, status, and wealth, opportunity to live in safe neighborhoods, and access to healthcare, which ultimately also leads to health. As explained by the OECD, unemployment rates are highest among those with lower levels of education, and individuals with lower education risk shorter life expectancy, engaging in risky behaviour, and poor health(33). Through years of study, the relationship between education and health has been identified as causal, and as such needed to be pursued for further understanding on exactly how that relationship functions(3).

As explained by Walsemann et al., educational attainment itself is not sufficient to truly understand the role that education plays in health status(2). Therefore, the aim of this systematic literature review was to better understand the current research on the health impact of education quality interventions. Although the association between education and health has been well studied and established for many years, there has been a large gap in the knowledge surrounding the quality and characteristics that make up this education. This is understandable, as schools have such varied characteristics- access to better resources, funding, opportunities, qualified teachers, and student to teacher ratios. After a thorough review, 25 papers were included in this study and analyzed for their patterns, interpretations, and future implications. To be able to better understand the long-term effects of these educational interventions, we followed a life-course approach, meaning our study included interventions from early infancy to higher education. The results of this review were mixed but give us a good idea of the current situation, and where the focus needs to be regarding educational interventions in the future.

We began by categorizing each study into one of the following three groups: early childhood (n=11), primary (n=8), and secondary education (n=6). Just over half of the studies reported statistically significant associations between education quality interventions and health outcomes (n=13, 52%). Not only did early childhood education yield the most studies in this review, but they also had the highest proportion of statistically significant results of all three categories of education (n=7/11, 64%), compared to primary (n=3/8, 38%)), and secondary (n=3/6, 50%). This was the first major finding from this review- that interventions conducted earlier in a child's life has the most significant impact on their health. Secondly, was that the interventions with the most success not only had a school-based aspect but included a family education portion. This allows students to continue their success from school to home, making it more likely that these changes will sustain throughout the child's life. There are many more characteristics, such as teacher-student ratios, length of school days or terms, school vs classroom-based interventions, and school resources (teacher wages, access to new learning resources, activities, advanced classes, etc.) that could each have a systematic review done on their respective topics. One future useful review discussed by Walsemann and Gee (2013) would be on studies that use the cumulative advantage approach, meaning the combination of the above mentioned characteristics. A study conducted in 2008 by Walsemann, Gee, and Geronimous on this topic found that students with more educational advantages had fewer health problems in their middle-age than those with fewer educational advantages(34). Furthermore, that this health gap widened over time.

Studying the qualities that positively and negatively affect our classrooms are important for a number of reasons, from the impact on each individual child, as well as the impact of our communities, country, and world. Most famously said by Nelson Mandela, "Education is the most powerful weapon which you can use to change the world." Equal opportunity to a good quality education is the root to equipping our communities with the knowledge and tools they need to not only obtain high paying jobs, secure stable incomes, have health insurance, and be able to choose and afford healthy lifestyle habits, but gain the ability to think and make the best decisions for themselves and their families. This case is especially true for our lower income, at-risk, and high-risk populations, who evidently benefitted the most from the interventions throughout this review. As public health professionals, it is imperative that we continue to study and understand the relationship between health and education quality, as to best create and implement policies and standards to help our communities reach their full potential. These studies provide us with the blueprints and enable us to incorporate evidence-based practices into our classrooms, and make quality, equitable education, possible for all students.

Appendixes

Appendix 1 Data Extraction Form

For RCTS:

Study number Short citation Study arm Study design Target population Occupation Education level SES background Country Framework Description Health outcome Definition Measurement tool (Incl. data type of data, dim	Data extraction Sheet "Data extrac Last changed on:				/ DRAFT										
Dirty Definition Dirty design Target population Occupation Education lead Statutes Dirty design Massurement tool (not. data Massurement tool (not. data)	Note: List each con	trol and intervention	am separately												
Body number Body (miles Body on Body Geligs Target population Orospelius Education test Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (miles Stategyment County Farmerick Description Nath Public Mark Body (mile									Study cha	racteristics					
Study number Short citation Study arm Study design Target population Occupation Education level SES background Country Framework Description Health outcome Definition Measurement tool (incl. data type of data, dim		\$1	udy			Partic	cipants				Intervention		Outcome	Metho	fology
	Study number	Short citation	Study am	Study design	Target population	Occupation	Education level	SES background	Country		Description	Health outcome	Definition	Measurement tool (incl. data collection)	Measurement scale (description, type of data, direction of effect, cronbach alpha)

Number of participants at baseline	Mean age	Ethnicity percentages	Percent Woman	First follow up Emetrane (months)	Mean Score at First Follow Up	SD at first follow up	Number of participants at first follow up	End follow up timeframe (months)	Mean Score at End Follow Up (if applicable)	SD at final follow up	Number of participants at final follow up	Other timeframes	First follow up timetrame (months)	first follow up	Number of participants at first follow up NDT experiencing outcome	End follow up timeframe (months)	last follow up	Number of participants at last follow up NOT experiencing outcome	Other Emeframes	Other outcomes	Comment

For Quasi-Experiments:

Data extraction Sheet "Data extraction QE" Last changed on: 18-May-2021

Data extraction Sheet "Data extrac Last changed on	tion QE" : 18-May-2021			/ DRAFT										
Note: Result of eac	h reported outcomes	are in relation to sp	ecífic control since a	he to reporting of the coefficient for the	quasi-experimental a	analysis - state which) control il several are		racteristics					
	Stu	dy			Parti	cipants		atboy cha	acteriates	Intervention		Outcome	Metho	dology
Study number	Short citation	Study am	Study design	Target population	Occupation	Education level	SES background	Country	Framework components	Description	Health outcome	Definition	Measurement tool (incl. data collection)	Measurement scale (description, type of data, direction of effect, cronbach alpha)

Parti b	imber of cipants at aseline	Mean age	Ethnicity percentages	Percent Woman	First follow up timeframe (months)	Mean Score at First Follow Up	SD at first follow up	Number of participants at first follow up	End follow up timeframe (months)	Mean Score at End Follow Up (if applicable)	SD at final follow up	Number of participants at final follow up	Other timeframes	timeframe	first follow up	Number of participants at first follow up NOT experiencing outcome	Emeliane	last follow up	at last follow up NOT	Other Emetranes	Other outcomes	Comment
																			1			
																						(

Appendix 2 Detail of Search Strategy in MEDLINE Ovid

#	Query	Resu
1	((education* or school*) adj1 (infrastructure* or framework*)).tw.	584
2	((educat* or school* or teach* or leam*) adj1 material*).tw.	821
3	((teach* or educat* or instructor* or lectur* or professor*) adj1 quality).tw.	186
4	((leam* or teach* or school* or educat* or classes or classes or classes or classrooms) adj1 (expenditure* or funding* or financ*)), tw	880
5 6	((teacher* or educator* or instructor* or lecturer* or professor*) adj1 (wage* or benefit* or attract* or retention or incent* or salar*)).tw. ((leam* or teach* or school* or educat* or class or classroom or classrooms) adj1 (condition* or circumstance* or environment or environments or climate* or setting* or	2697
7	culture* or resourc*)).tw. ((leam* or teach* or school* or educat* or class or classes or classroom or classrooms or student*) adj1 (equalit* or injustic* or inequalit* or disparit* or diversit* or ethnicit*)).tw.	368
8	((Leam* or teach* or school* or educat* or class or classroom or classrooms) adj1 (object* or guid* or target*)).tw.	128
9	((Leam* or teach* or school* or educat* or class or classroom or classrooms) adj1 (admin* or supervisor* or govem* or facult*)).tw.	559
10	((chang* or improv* or adjust* or adapt* or strength* or wors*) adj2 curriculum*).tw.	193
11	((track* or de-track* or detrack*) adj2 (school* or class or classes or classroom or classrooms or curriculum* or student* or program* or intervention* or reform* or polic*)).tw.	196
12	((Leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (pedagog* or method* or practic* or approach* or deliver*)).tw.	395
13	((Leam* or teach* or school* or educat* or class or classroom or classrooms or course or instruction*) adj1 language*).tw	32
14	((class or classes or classroom or classrooms) adj1 (siz* or capacit* or proportion*)).tw.	38
15	(Number* adj2 (student* or teacher*)).tw.	25
16	((Leam* or teach* or school* or educat* or classes or classroom or classrooms) adj1 (outcome* or result*)).tw.	118
17	((educat* or cognit*) adj1 (outcome* or improve* or performance*)).tw.	381
18	((leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (attainment or priorit* or goal* or standard or standards or coordination)).tw.	133
19	((Leam* or teach* or school* or educat* or classes or classes or classrooms) adj1 (evaluation* or assessment*)).tw.	34
20	((leach* or educat* or instructor* or lectur* or professor*) adj1 (appraisal* or prais* or judg* or feedback* or report* or evaluation* or assessment*)).tw.	71
21	((Pre kindergarten* or Prekindergarten* or Pre-kindergarten* or Play-school* or Play school* or Playschool* or Kindergarten* or Pre-school* or Preschool* or Pre school* or day- care* or daycare* or day care* or child-care* or child care* or childcare* or early child* or early-child* or foundation year or universit* or college* or apprenticeship* or academic* or distan* leam* or advanced diploma*) adj2 (intervention* or reform* or polic* or initiative* or program*)).tw.	102
22	((early-education* or early education* or elementary education* or secondary education* or tertiary education* or higher education* or contin* education* or further education* or company education* or middle-school* or middle school* or special education* or high school* or high-school* or adult education* or night-school* or night school* or part time education* or part-time education* or online education* or online-education* or vocational education*) adj2 (intervention* or reform* or program* or polic* or initiative*)).tw.	393
23	Education* quality.tw.	60
24	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23	181
25	(Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw.	506
26	((improv* or chang* or increase* or decreas*) adj2 health).tw.	883
27	Hospitali?ation*.tw.	170
28	(Death* or dead* or mortalit*).tw.	1541
29	(mental adj1 (health or ill or illness* or disorder* or disease*)).tw.	208
30	(depression* or depressive* or depressed).tw.	455
31	disabilit [*] .tw.	196
32	25 or 26 or 27 or 28 or 29 or 30 or 31	2637
33	Randomized controlled trial.pt.	524
34 35	controlled clinical trial.pt.	940
35 36	placebo.ab.	215
36 37	randomly.ab.	352 612
37 38	random#ed.ab. clinical trials as topic.sh.	612 195
38 39	cunical thats as topic.sh. trial.ti.	235
39 40	nalu. RCT.w.	235
40 41	Kuliuw. (duster adl2 randomi*).tw.	134
41 42	(cluster adj2 random),rw. ((communit* adj2 intervention*) or (communit* adj2 random)*)).tw.	88
42 43	((commune adje intervention) or (commune adje randomir)),tw. group "andomi" tw.	38
43 44	group random raw. guasif.w.	691
44 45	(uatura) adj3 experiment*).tw.	79
45 46	(natural ado experiment j.w. (non random' or non-random' or nonrandom').tw.	408
47	Non-Randomized Controlled Trials as Topic/	87
48	(before ad/2 after).tw.	287
49	Controlled Before-After Studies/	59
50	(case* and control").tw.	520
51	case?control.tw.	16
52	case-referent.tw.	66
53	Case-Control Studies/	297
54	Interrupted Time Series Analysis/	11
55	(interrupted time series or interrupted-time-series).tw.	36
56	(instrumental variable* or instrumental-variable*).tw.	27
57	(difference in difference* or difference* or difference* or diff-in-diff*).tw.	33
58	(regression discont* or RDD).tw.	13
59	(panel analy* or panel data).tw.	38
60	33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59	2358
61	24 and 32 and 60	56
62	(doctor* or physician* or midwil* or patient* or medical school or therapist* or nurse* or nursing).tw.	7554
63	61 not 62	28
64	limit 63 to english language	28
65	limit 64 to yr="2000 -Current"	26
66	exp animals/ not humans/	4797
67	65 not 66	264

Appendix 3 Detail of Search Strategy in ERIC

#	Query	Limiters/Expanders	Results
S56	S54 NOT S55	Limiters - Date Published: 20000101-; Language: English: Search modes - Boolean/Phrase	584
S55	AB (doctor* or physician* or midwif* or patient* or *medical school* or therapist* or nurse* or nursing) OR TI (doctor* or physician* or midwif* or patient* or *medical school* or therapist* or nurse* or nursing)	Search modes - Boolean/Phrase	53,428
S54	24 AND S32 AND S53	Search modes - Boolean/Phrase	727
S53	\$33 OR \$34 OR \$35 OR \$36 OR \$37 OR \$38 OR \$39 OR \$40 OR \$41 OR \$42 OR \$43 OR \$44 OR \$45 OR \$46 OR \$47 OR \$48 OR \$49 OR \$50 OR \$51 OR \$52	Search modes - Boolean/Phrase	36,304
	AB ("panel analy** or "panel data") OR TI ("panel analy** or "panel data")	Search modes - Boolean/Phrase	765
S51	AB (*regression discont** or RDD) OR TI (*regression discont** or RDD)	Search modes - Boolean/Phrase	530
	AB ("difference in difference" or "difference-in-difference" or "diff-in-diff") OR TI ("difference in difference" or "difference" or "differen	Search modes - Boolean/Phrase	376 364
	As ("instrumenta variable" or "instrumenta-variable") OK 10 ("instrumenta variable" or "instrumenta-variable") Al ("instrumenta variable" or "instrumenta-variable") OK 10 ("instrumenta variable" or "instrumenta-variable")	Search modes - Boolean/Phrase Search modes - Boolean/Phrase	135
	Ad (main updatumers series of main updatumers restricts in the rupadumers of main updatumers in a rupadumers rupadumers)	Search modes - Boolean/Phrase	69
	AB ("case-control" or "case control") OR TI ("case-control" or "case control")	Search modes - Boolean/Phrase	224
	AB ("case" and control*") OR TI ("case" and control*")	Search modes - Boolean/Phrase	48
	AB (before N1 after) OR TI (before N1 after)	Search modes - Boolean/Phrase	7,927
	AB trial* OR TI trial*	Search modes - Boolean/Phrase	15,147
S42	AB ("non random "" or "non-random "" or "non-random "" OR TI ("non random "" or "non-random "" or "nonrandom "") AB (natural" N2 experiment") OR TI (natural" N2 experiment")	Search modes - Boolean/Phrase Search modes - Boolean/Phrase	784 443
		Search modes - Boolean/Phrase	7.541
	Sa (goop" Grit ("gradomi" OR Ti "group" randomi*"	Search modes - Boolean/Phrase	138
S38	AB ((communit* N1 intervention*) or (communit* N1 randomi*)) OR TI ((communit* N1 intervention*) or (communit* N1 randomi*))	Search modes - Boolean/Phrase	631
S37	AB (cluster* N1 randomi*) OR TI (cluster* N1 randomi*)	Search modes - Boolean/Phrase	511
	AB RCT OR TIRCT	Search modes - Boolean/Phrase	563
	AB random/?ed.QR.Ti.random/?ed Ha bicroste Q.T.S.Licroste	Search modes - Boolean/Phrase	6,757
	AB placebo OR Ti placebo AB social placebo AB so	Search modes - Boolean/Phrase Search modes - Boolean/Phrase	795 26
S33 S32	AB "controlled clinical trial" OR TI "controlled clinical trial" S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	Search modes - Boolean/Phrase Search modes - Boolean/Phrase	26 95,506
S31		Search modes - Boolean/Phrase	52.834
S30	AB (depression* or depressive* or depressed) OR TI (depression* or depressive* or depressed)	Search modes - Boolean/Phrase	12,986
S29	AB (mental N1 (health or ill or illness* or disorder* or disease*)) OR TI (mental N1 (health or ill or illness* or disorder* or disease*))	Search modes - Boolean/Phrase	18,149
S28	AB (Death* or dead* or mortalit*) OR TI (Death* or dead* or mortalit*)	Search modes - Boolean/Phrase	11,775
S27	AB Hospitali?ation* OR TI Hospitali?ation*	Search modes - Boolean/Phrase	859
	AB ((improv* or chang* or increase* or decreas*) N1 health) OR TI ((improv* or chang* or increase* or decreas*) N1 health)	Search modes - Boolean/Phrase	3,059
S25	AB ("Physical health" or "health outcome" or morbid" or "adult outcome" or "youth outcome") OR TI ("Physical health" or "health outcome" or morbid" or "adult outcome" or "youth outcome")	Search modes - Boolean/Phrase	4,108
S24	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23	Search modes - Boolean/Phrase	508,076
S23	AB "Education" quality" OR TI "Education" quality" AB ("Gerly-education" or "early education" or "elementary education" or "secondary education" or "tertiary education" or "higher education" or "contin" education" or "further education" or "company	Search modes - Boolean/Phrase	2,862
S22	accession in mode-science of inside science of specific sciences of any resource of sciencession of sciencession in single-science of sciencession of sciences	Search modes - Boolean/Phrase	20,807
S21	AB (("Pre-kindergarten" or Pre-kindergarten" or Pre-kindergarten" or Play-school" or "Play school" or Kindergarten" or Pre-school" or "Pre-school" or "Pre-school" or "Pre-school" or "Pre-school" or "Pre-school" or "Play-school" or "Play-school" or "Play-school" or Kindergarten" or "schild-care" or "child-care" or "schild-care" or "schild-care" or Schild-care" or S	Search modes - Boolean/Phrase	37,048
S20	AB ((leach' or educat' or instructor' or lectur' or professor') N1 (appraisal' or prais" or judg' or feedback* or report' or evaluation' or assessment")) OR TI ((leach' or educat' or instructor' or lectur' or professor') N1 (appraisal' or prais" or judg' or feedback* or report' or evaluation' or assessment"))	Search modes - Boolean/Phrase	48,717
S19	AB ((Learn* or teach* or school* or educat* or classes or classroom or classrooms) N1 (evaluation* or assessment*)) OR TI ((Learn* or teach* or school* or educat* or class or classes or classroom or classrooms) N1 (evaluation* or assessment*))	Search modes - Boolean/Phrase	39,780
S18	AB ((learn* or teach* or school* or educat* or class or classes or classroom or classrooms) N1 (attainment or priorit* or goal* or standard or standards or coordination)) OR TI ((learn* or teach* or school or educat* or class or classes or classroom or classrooms) N1 (attainment or priorit* or goal* or standard or standards or coordination))	Search modes - Boolean/Phrase	36,387
S17	AB ((educat* or cognit*) N1 (outcome* or improve* or performance*)) OR TI ((educat* or cognit*) N1 (outcome* or improve* or performance*))	Search modes - Boolean/Phrase	19,528
S16	AB ((Learn' or teach' or school* or educat* or class or classes or classroom or classrooms) N1 (outcome* or result*)) OR TI ((Learn* or teach* or school* or educat* or class or classes or classroom or classrooms) N1 (outcome* or result*))	Search modes - Boolean/Phrase	43,734
S15	AB (Number* N1 (student* or teacher*)) OR TI (Number* N1 (student* or teacher*))	Search modes - Boolean/Phrase	10,158
S14	AB ((class or classes or classroom or classrooms) N1 (siz* or capacit* or proportion*)) OR TI ((class or classes or classroom or classrooms) N1 (siz* or capacit* or proportion*))	Search modes - Boolean/Phrase	4,503
S13	AB ((Learn' or teach' or school' or educat' or class or classroom or classrooms or course or instruction') N1 language!) OR TI ((Learn' or teach' or school' or educat' or class or classroom or classrooms or course or instruction') N1 language*)	Search modes - Boolean/Phrase	58,898
S12	AB (Learn' or teach' or school' or educat' or class or classes or classroom or classrooms) N1 (pedagog' or method' or practic' or approach' or deliver')) OR TI ((Learn' or teach' or school' or educat' or class or classes or classroom or classrooms) N1 (pedagog' or method' or practic' or approach' or deliver'))	Search modes - Boolean/Phrase	121,766
S11	AB ((Track* or detrack* or detrack*) N1 (school* or class or classes or classroom or classroom or curriculum or student* or program* or intervention* or reform* or polic*)) OR TI ((Track* or de-track* or detrack*) N1 (school* or class or classes or classroom or classroom or curriculum or student* or program* or intervention* or reform* or polic*))	Search modes - Boolean/Phrase	2,815
S10	AB ((chang" or improv" or adjust" or adapt" or strength" or wors") N1 curriculum") OR TI ((chang" or improv" or adjust" or adapt" or strength" or wors") N1 curriculum")	Search modes - Boolean/Phrase	5,142
S9	AB ((Learn' or teach' or school' or educat' or classs or classes or classroom or classrooms) N1 (admin' or supervisor' or govern' or facult')) OR TI ((Learn' or teach' or school' or educat' or class or classes or classroom or classrooms) N1 (admin' or supervisor' or govern' or facult'))	Search modes - Boolean/Phrase	59,189
S8	AB ((Learn* or teach* or school* or educat* or class or classroom or classrooms) N1 (object* or guid* or target*)) OR TI ((Learn* or teach* or school* or educat* or class or classes or classroom or classrooms) N1 (object* or guid* or target*))	Search modes - Boolean/Phrase	42,593
S7	AB ((learn' or teach' or school' or educat' or classes or classes or classroom or classrooms or student') N1 (equalit' or injustic' or inequalit' or disparit' or diversit' or ethnicit')) OR TI ((learn' or teach' or school' or educat' or class or classes or classroom or student') N1 (equalit' or injustic' or inequalit' or disparit' or diversit' or ethnicit')) AB ((learn' or teach' or school' or educat' or classroo en student') N1 (equalit or injustic' or inequalit' or disparit' or diversit' or ethnicit'))	Search modes - Boolean/Phrase	10,827
	As ((learn' or teach' or school' or exucat' or class or classroom or classrooms) N1 (condition' or circumstance' or environment or environments or classroom or classrooms) N1 (condition' or circumstance' or environment e	Search modes - Boolean/Phrase	104,432
S6			
\$6 \$5	AB ((leacher' or educator' or instructor' or lecturer' or professor') N1 (wage' or benefit' or attract' or relention or incent' or salar')) OR Ti ((leacher' or educator' or instructor' or lecturer' or professor') N1 (wage' or benefit' or attract' or reletion or incent' or salar')) M2 (lucariz' to track a school's and the classes of classes or classes	Search modes - Boolean/Phrase	5,856
S5 S4	N1 (wage'robenefit'or attract'or retention or incent'or salar")) AB ((learn' or leach' or school' or educat' or class or classes or classes or classes or classes or classroom or classroom N1 (expenditure' or handroj' or financ'))	Search modes - Boolean/Phrase	13,724
\$5 \$4 \$3	N1 (wage" or benefit" or attract" or relention or incent" or salar")) AB ((learn" or teach" or school" or educat" or class or classes or classroom or classrooms) N1 (expenditure" or funding" or financ")) OR TI ((learn" or teach" or school" or educat" or class or classes or		

Appendix 4 Detail of Search Strategy in PsychINFO

#	Query	Resu
1	((education* or school*) adj1 (infrastructure* or framework*)).tw.	637
2	((educat* or school* or teach* or learn*) adj1 material*).tw.	5707
3	((teach* or educat* or instructor* or lectur* or professor*) adj1 quality).tw	3979
4	((learn* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (expenditure* or funding* or financ*)).tw	1559
5	((teacher* or educator* or instructor* or lecturer* or professor*) adj1 (wage* or benefit* or attract* or retention or incent* or salar*)).tw.	1325
6	((learn* or teach* or school* or educat* or classe or classes or classroom or classrooms) adj1 (condition* or circumstance* or environment or environments or climate* or setting* or culture* or resoure*)).tw.	6881
7	((learn* or teach* or school* or educat* or class or classes or classroom or classrooms or student*) adj1 (equalit* or injustic* or inequalit* or	4767
0	disparit or diversit or ethnicit")).tw.	4407
8	((Learn* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (object* or guid* or target*)).tw.	1197
9	((Learn* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (admin* or supervisor* or govern* or facult*)).tw.	1522
10 11	((chang* or improv* or adjust* or adapt* or strength* or wors*) adj2 curriculum*).tw. ((track* or de-track* or detrack*) adj2 (school* or class or classes or classroom or classrooms or curriculum* or student* or program* or	176
	intervention* or reform* or polic*)).tw. ((Learn* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (pedagog* or method* or practic* or approach* or	
12	deliver*)).tw.	5187
13	((Learn* or teach* or school* or educat* or class or classroom or classrooms or course or instruction*) adj1 language*).tw.	2185
14	((class or classes or classroom or classrooms) adj1 (siz* or capacit* or proportion*)).tw.	176
15	(Number* adj2 (student* or teacher*)).tw.	431
6	((Learn* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (outcome* or result*)).tw.	2185
17	((educat* or cognit*) adj1 (outcome* or improve* or performance*)).tw.	2902
8	((learn* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (attainment or priorit* or goal* or standard or standards or coordination)).tw.	1585
9	((Learn* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (evaluation* or assessment*)).tw.	942
20	((teach* or educat* or instructor* or lectur* or professor*) adj1 (appraisal* or prais* or judg* or feedback* or report* or evaluation* or	1678
	assessment*)).tw. ((Pre kindergarten* or Prekindergarten* or Pre-kindergarten* or Play-school* or Play school* or Playschool* or Kindergarten* or Pre-school* or	1070
21	Preschool* or Pre school* or day-care* or daycare* or day care* or child-care* or child care* or childcare* or early child* or early-child* or foundation year or universit* or college* or apprenticeship* or academic* or distan* learn* or advanced diploma*) adj2 (intervention* or reform* or polic* or initiative* or program*)).tw.	1973
2	((early-education* or early education* or elementary education* or secondary education* or tertiary education* or higher education* or contin* education* or further education* or company education* or middle-school* or middle school* or special education* or high school* or high-school* or adult education* or night-school* or night school* or part time education* or part-time education* or online education* or online-education* or vocational education*) adj2 (intervention* or reform* or program* or polic* or initiative*)).tw.	810
23	Education* quality.tw.	908
24	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23	2613
25	(Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw.	7796
6	((improv* or chang* or increase* or decreas*) adj2 health).tw.	2896
7	Hospitali?ation*.tw.	2939
28	(Death* or dead* or mortalit*).tw.	1334
29	(mental adj1 (health or ill or illness* or disorder* or disease*)).tw.	2781
30	(depression* or depressive* or depressed).tw.	3162
31	disabilit*.tw.	1257
32	25 or 26 or 27 or 28 or 29 or 30 or 31	8203
33	(clinical trials or randomized controlled trials or randomized clinical trials or placebo or random sampling).sh,id.	2129
34	trial*.ti,ab.	1885
5	(placebo* or random*).ti,ab.	2313
6	(cluster* adj2 randomi*).tw.	317
37	((communit* adj2 intervention*) or (communit* adj2 randomi*)).tw	534
8	group' randomi'.tw.	972
9	group failed at the RCT.tw	524
0	Quasi [*] .tw.	1924
1	(uatural* adj3 experiment*).tw.	283
2	(non random* or non-random* or nonrandom*).tw.	502
3	(non random or non-random or nonrandom).tw.	8197
4		8197
	exp Randomized Controlled Trials/ or exp Randomized Clinical Trials/ (before adi2 after).tw.	
5 6	(case* and control*).tw.	4588
	(case and control).tw. case?control.tw.	
7		42
8	case-referent.tw.	20
9	(interrupted time series or interrupted-time-series).tw.	856
0	(instrumental variable* or instrumental-variable*).tw.	131
1	(difference in difference* or difference* or diff-in-diff*).tw.	123
2	(regression discont* or RDD).tw.	638
3	(panel analy* or panel data).tw.	392
4 5	Experiment Controls/ Cohort Analysis/ or Cluster Analysis/ or Followup Studies/ or Retrospective Studies/ or Longitudinal Studies/ or Prospective Studies/ or Between Groups Design/	927 3558
6	33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55	5626
57	24 and 32 and 56	534
58	La dia 50 and 50 line	504
59	(doctor* or physician* or midwif* or patient* or medical school or therapist* or nurse* or nursing).tw.	9065
50 50	Locotor or presistant or midwir or patient or medical school or therapist or hurse or hursing).tw.	351
50 51	limit 60 to yr="2000 -Current"	315
		3669
32		
62 63	(animal not human).po. 61 not 62	312

Appendix 5 Detail of Search Strategy in HMIC

#	Query	Results
1	((education* or school*) adj1 (infrastructure* or framework*)).tw.	49
2	((educat* or school* or teach* or leam*) adj1 material*).tw.	334
3	((teach* or educat* or instructor* or lectur* or professor*) adj1 quality).tw.	74
4	((leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (expenditure* or funding* or financ*)).tw.	85
5	((teacher* or educator* or instructor* or lecturer* or professor*) adj1 (wage* or benefit* or attract* or retention or incent* or salar*)).tw.	2
6	((leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (condition* or circumstance* or environment or environments or climate* or setting* or culture* or resourc*)).tw.	1007
,	((leam* or teach* or school* or educat* or class or classes or classroom or classrooms or student*) adj1 (equalit* or injustic* or inequalit* or disparit* or diversit* or ethnicit*)).tw.	211
3	((Learn* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (object* or guid* or target*)).tw.	268
9	((Leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (admin* or supervisor* or govern* or facult*)).tw.	182
0	((chang* or improv* or adjust* or adapt* or strength* or wors*) adj2 curriculum*).tw.	53
1	((track* or de-track* or detrack*) adj2 (school* or class or classes or classroom or classrooms or curriculum* or student* or program* or intervention* or reform* or polic*)).tw.	35
2	((Leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (pedagog* or method* or practic* or approach* or deliver*)).tw.	1390
3	((Leam* or teach* or school* or educat* or class or classroom or classrooms or course or instruction*) adj1 language*).tw.	18
4	((class or classes or classroom or classrooms) adj1 (siz* or capacit* or proportion*)).tw.	16
5	(Number* adj2 (student* or teacher*)).tw.	134
6	((Learn* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (outcome* or result*)).tw.	310
7	((educat* or cognit*) adj1 (outcome* or improve* or performance*)).tw.	314
8	((leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (attainment or priorit* or goal* or standard or standards or coordination)).tw.	473
9	((Leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (evaluation* or assessment*)).tw.	117
0	((teach* or educat* or instructor* or lectur* or professor*) adj1 (appraisal* or prais* or judg* or feedback* or report* or evaluation* or assessment*)).tw.	200
1	((Pre kindergarten* or Prekindergarten* or Pre-kindergarten* or Play-school* or Play school* or Playschool* or Kindergarten* or Pre-school* or Preschool* or Pre school* or Pay-care* or day-care* or day care* or child-care* or child care* or childcare* or early child* or early-child* or foundation year or universit* or college* or apprenticeship* or academic* or distan* leam* or advanced diploma*) adj2 (intervention* or reform* or polic* or initiative* or program*)).tw.	461
2	((early-education* or early education* or elementary education* or secondary education* or tertiary education* or higher education* or contin* education* or further education* or company education* or middle-school* or middle school* or special education* or high school* or high-school* or adult education* or night-school* or night school* or part time education* or part-time education* or online education* or online-education* or vocational education*) adj2 (intervention* or reform* or program* or polic* or initiative*)).tw.	122
3	Education* quality.tw.	32
4	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23	5220
	(Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw.	8076
	((improv* or chang* or increase* or decreas*) adj2 health).tw.	7522
	Hospitali?ation*.tw.	1845
	(Death* or dead* or mortalit*).tw.	17230
	(mental adj1 (health or ill or illness* or disorder* or disease*)).tw.	20804
	(depression* or depressive* or depressed).tw.	5111
1	disabilit*.tw.	8730
2	25 or 26 or 27 or 28 or 29 or 30 or 31	57804
3	24 and 32	881
34	limit 33 to yr="2000 -Current"	20

Appendix 6 Detail of Search Strategy in Global Health

#	Query	Results
1	((education* or school*) adj1 (infrastructure* or framework*)).tw.	152
2	((educat* or school* or teach* or leam*) adj1 material*).tw.	2382
3	((teach* or educat* or instructor* or lectur* or professor*) adj1 quality).tw.	370
4	((leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (expenditure* or funding* or financ*)).tw.	212
5	((teacher* or educator* or instructor* or lecturer* or professor*) adj1 (wage* or benefit* or attract* or retention or incent* or salar*)).tw.	11
6	((leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (condition* or circumstance* or environment or environments or climate* or	5063
	setting* or culture* or resourc*)).tw.	
7	((leam* or teach* or school* or educat* or class or classes or classroom or classrooms or student*) adj1 (equalit* or injustic* or inequalit* or disparit* or diversit* or	1557
	ethnicit*)).tw.	4070
3	((Leam* or teach* or school* or educat* or classes or classes or classroom or classrooms) adj1 (object* or guid* or target*)).tw.	1676
9	((Leam* or teach* or school* or educat* or classe or classes or classroom or classrooms) adj1 (admin* or supervisor* or govern* or facult*)).tw.	1254
0	((chang* or improv* or adjust* or adapt* or strength* or wors*) adj2 curriculum*).tw.	242
1	((track* or de-track* or detrack*) adj2 (school* or class or classes or classroom or classrooms or curriculum* or student* or program* or intervention* or reform* or polic*)).tw.	331
2	((Leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (pedagog* or method* or practic* or approach* or deliver*)).tw.	7419
3	((Learn* or teach* or school* or educat* or class or classroom or classrooms or course or instruction*) adj1 language*).tw.	155
4	((class or classes or classroom or classrooms) adj1 (siz* or capacit* or proportion*)).tw.	452
5	(Number* adj2 (student* or teacher*)).tw.	598
6	((Leam* or teach* or school* or educat* or class or classroom or classrooms) adj1 (outcome* or result*)).tw.	3280
7	((educat* or cognit*) adj1 (outcome* or improve* or performance*)).tw.	9329
0		4450
8	((leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (attainment or priorit* or goal* or standard or standards or coordination)).tw.	4158
9	((Leam* or teach* or school* or educat* or class or classroom or classrooms) adj1 (evaluation* or assessment*)).tw.	429
0	((teach* or educat* or instructor* or lectur* or professor*) adj1 (appraisal* or prais* or judg* or feedback* or report* or evaluation* or assessment*)).tw.	900
1	((Pre kindergarten* or Prekindergarten* or Pre-kindergarten* or Play-school* or Play school* or Niadergarten* or Pre-school* or Preschool* or Pre-school* or Pre-school* or Pre-school* or Pre-school* or apprenticeship* or aday-care* or day care* or day	2423
2	((early-education* or early education* or elementary education* or secondary education* or tertiary education* or higher education* or contin* education* or further education* or company education* or middle-school* or middle school* or special education* or high school* or high-school* or adult education* or night-school* or night school* or part time education* or part-time education* or online education* or online-education* or vocational education*) adj2 (intervention* or reform* or program* or polic* or initiative*)).tw.	772
3	Education* quality.tw.	95
4	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22	3764
5	(Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw.	10443
26	((improv* or chang* or increase* or decreas*) adj2 health).tw.	31290
27	Hospitali?ation*.tw.	34459
28	(Death* or dead* or mortalit*).tw.	28731
29	(mental adj1 (health or ill or illness* or disorder* or disease*)).tw.	63044
30	(depression* or depressive* or depressed).tw.	4855
31	disabilit*.tw.	2337
32	25 or 26 or 27 or 28 or 29 or 30 or 31	46477
33	controlled clinical trial.tw.	3189
34	placebo.ab.	3705
35	randomly.ab.	9324
36	random#ed.ab.	9576
37	traiti.	3517
38	RCT.tw.	3448
39	(cluster adj2 randomi*).tw.	5000
40	(communit' adj2 introvin jrw: ((communit' adj2 introvention*) or (communit* adj2 random*)).tw.	4452
41	(common adopt nervenes) yo (common adopt andom), tw. group* random*.tw.	769
42		7861
42 43	quasi*.tw. (natural* adj3 experiment*).tw.	1847
43 44	(natural also experiment).w. (non random' or non-random' or nonrandom').tw.	4178
44 45		4178
	(before adj2 after).tw.	
46	(case* and control*).tw.	16328
47	case promotion.	65
8	case-referent.tw.	191
49 50	(interrupted time series or interrupted-time-series).tw.	1045
50	(instrumental variable* or instrumental-variable*).tw.	949
51	(difference in difference' or difference' or difference' or diff-in-diff').tw.	1255
52	(regression discont* or RDD).tw.	270
53	(panel analy* or panel data).tw.	1379
54	randomized controlled trials/	4425
55	case-control studies/	2120
56	experimental design/	1722
57	"controls (experimental)"/	21
58	retrospective studies/	1640
59	longitudinal studies/	8373
60	cluster analysis/	1769
61	33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60	42027
62	24 and 32 and 61	2013
63	(doctor* or physician* or midwif* or patient* or medical school or therapist* or nurse* or nursing).tw.	80926
64	62 not 63	1530
	limit 64 to english language	1471
65	innik 04 to english language	

Appendix 7 Detail of Search Strategy in Social Policy and Practice

#	Query ((education* or school*) adj1 (infrastructure* or framework*)).tw.	Results 39
2	(education or school or teach or learn) addit material").tw.	251
3	(teach or outcour or least or out) to print out and the second of the s	136
4	(learn' or teach' or school' or educat' or class or classes or classroom or classrooms) adi1 (expenditure* or funding* or financ*)).tw.	323
5	(teacher's or educator's or instructor's or lecturer's or professor's adji (wage's or benefit's or attract's or retention or incent's or salar')).tw.	13
6	((learns' or teachs' or school' or educat* or class or classroom or classrooms) adj1 (condition* or circumstance* or environments or climate* or setting* or culture* or resource)).tw.	2092
7	((leam* or teach* or school* or educat* or class or classroom or classrooms or student*) adj1 (equalit* or injustic* or inequalit* or disparit* or diversit* or ethnicit*)).tw.	296
8	((Leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (object* or guid* or target*)).tw.	385
9	(Leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (admin* or supervisor* or govern* or facult*)).tw.	468
10	((chang* or improv* or adjust* or adapt* or strength* or wors*) adj2 curriculum*).tw.	77
11	((track* or de-track* or detrack*) adj2 (school* or class or classes or classroom or classrooms or curriculum* or student* or program* or intervention* or reform* or polic*)).tw.	81
12	((Leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (pedagog* or method* or practic* or approach* or deliver*)).tw.	2097
13	(Leam* or teach* or school* or educat* or class or classroom or classrooms or course or instruction*) adj1 language*).tw.	110
14	((class or classes or classroom or classrooms) adj1 (siz* or capacit* or proportion*)).tw.	139
15	(Number* adj2 (student* or teacher*)).tw.	153
16	((Leam* or teach* or school* or educat* or classes or classes or classroom or classrooms) adj1 (outcome* or result*)).tw.	825
17	((educat* or cognit*) adj1 (outcome* or improve* or performance*)).tw.	1017
18	((leam* or teach* or school* or educat* or class or classes or classroom or classrooms) adj1 (attainment or priorit* or goal* or standard or standards or coordination)).tw.	1361
19	((Leam* or teach* or school* or educat* or class or classroom or classrooms) adj1 (evaluation* or assessment*)).tw.	217
20	((teach* or educat* or instructor* or lectur* or professor*) adj1 (appraisal* or prais* or judg* or feedback* or report* or evaluation* or assessment*)). tw.	368
21	((Pre kindergarten* or Pre-kindergarten* or Pre-kindergarten* or Play-school* or Play school* or Playschool* or Kindergarten* or Pre-school* or Pre-school* or Pre-school* or Pre-school* or day- care* or daycare* or day care* or child-care* or child care* or childcare* or early child* or early-child* or foundation year or universit* or college* or apprenticeship* or academic* or distan* leam* or advanced diploma*) adj2 (intervention* or reform* or polic* or initiative* or program*)).tw.	1102
22	((early-education* or early education* or elementary education* or secondary education* or tertiary education* or higher education* or contin* education* or further education* or company education* or middle-school* or middle school* or special education* or high school* or high-school* or adult education* or night-school* or middle school* or part time education* or part-time education* or online education* or online-education* or or ocational education*) adj2 (intervention* or reform* or program* or polic* or initiative*)).tw.	239
23	Education* quality.tw.	18
23 24	Education* quality.tw. 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23	
	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23	10202
24		10202 4892
24 25	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw.	18 10202 4892 3790 778
24 25 26 27	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid' or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw.	10202 4892 3790 778
24 25 26 27 28	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. ((Death* or dead* or morbilit*).tw.	10203 4892 3790 778 8053
24 25 26 27 28 29	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. (Death* or dead* or mortalit*).tw. (mental adj1 (health or ill or illness* or disorder* or disease*)).tw.	1020 4892 3790 778 8053 28556
24 25 26 27 28 29 30	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((Improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. ((Death* or idead* or mortalit*).tw. ((mental adj1 (health or ill or illness* or disorder* or disease*)).tw. ((depression* or depressive* or depressed).tw.	1020 4892 3790 778 8053 28556 9829
24 25 26 27 28 29 30 31	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. ((Death* or dead* or mortalit*).tw. ((depression* or depressed).tw. ((depression* or depressed).tw. (disabili*.tw.	1020 4892 3790 778 8053 28556 9829 20415
24 25 26 27 28 29 30 31 32	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. (Death* or dead* or mortalit*).tw. (mental adj1 (health or iii or illness* or disorder* or disease*)).tw. (depression* or depressive* or depressed).tw. disabili*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31	1020 4892 3790 778 8053 28556 9829 20415 64272
24 25 26 27 28 29 30 31 32 33	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((Improv* or chang* or increase* or decreas*) adj2 health).tw. Hospital?ation*.tw. (Death* or dead* or morbilit*).tw. ((mental adj1 (health or ill or illness* or disorder* or disease*)).tw. (depression* or depressive* or depressed).tw. disabilit*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw.	1020 4892 3790 778 8053 28556 9829 20415 64272 14
24 25 26 27 28 29 30 31 32 33 34	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. ((Death* or dead* or mortalit*).tw. ((Death* or dead* or mortalit*).tw. ((depression* or depressed).tw. ((depression* or depressed).tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113
24 25 26 27 28 29 30 31 32 33 34 35	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. (Death* or dead* or mortalit*).tw. (mental adj1 (health or iil or liness* or disorder* or disease*)).tw. (deaperssion* or depressive* or depressed).tw. disabili*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. random/y.ab.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282
24 25 26 27 28 29 30 31 32 33 34 35 36	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospital?ation*.tw. (Death* or dead* or morbilit*).tw. ((mental adj1 (health or ill or illness* or disorder* or disease*)).tw. (depression* or depressive* or depressed).tw. disabilit*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomiy.ab. randomiy.ab.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454
24 25 26 27 28 29 30 31 32 33 34 35 36 37	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome" or morbid" or adult outcome").tw. ((improv" or chang" or increase" or decreas") adj2 health).tw. Hospitali?ation*.tw. ((Death" or dead" or mortalit").tw. ((mental adj1 (health or ill or ill nesse" or disorder" or disease")).tw. ((depression" or depressive" or depressed).tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.b. randomiy.ab. randomi#ed.ab. trial.ti.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454 964
24 25 26 27 30 31 32 33 34 35 36 37 38	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. (Death* or dead* or mortali*).tw. (mental adj1 (health or iii or illness* or disorder* or disease*)).tw. (depression* or depressive* or depressed).tw. disabili*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomi#ed.ab. trial.ti. RCT.tw.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454 964 189
24 25 26 27 30 31 32 33 34 35 36 37 38 39	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. (Death* or dead* or morbil*).tw. (mental adj1 (health or ill or illness* or disorder* or disease*)).tw. (depression* or depressive* or depressed).tw. disabili*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomi#ed.ab. trial.ti. RCT.tw. (cluster* adj2 randomi*).tw.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454 964 189 175
24 25 26 27 30 31 32 33 34 35 36 37 38 39 40	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome" or morbid" or adult outcome").tw. ((improv" or chang" or increase" or decreas") adj2 health).tw. Hospitali?ation*.tw. (Death" or dead" or mortalit").tw. ((depression" or depressive" or depressed).tw. (depression" or depressive" or depressed).tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomiy.ab. randomi#ed.ab. trial.ti. RCT.tw. ((coursunt" adj2 randomi*)).tw.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454 189 175 457
24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. (Death* or dead* or mortalit*).tw. (mental adj1 (health or iii or illness* or disorder* or disease*)).tw. (depression* or depressive* or depressed).tw. disabili*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomi#ed.ab. trial.ti. RCT.w. (cluster* adj2 randomi*).tw. ((communit* adj2 randomi*).tw.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454 964 189 175 457 13
24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. ((Death* or dead* or mortalit*).tw. ((Death* or dead* or mortalit*).tw. ((depression* or depressed).tw. (depression* or depressed).tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomly.ab. randomly.ab. RCT.tw. ((cluster* adj2 randoml*).tw. ((communit* adj2 randoml*)).tw. group* randoml*.tw. ((communit* adj2 randoml*)).tw. ((communit* adj2 randoml*)).tw. ((communit* adj2 randoml*).tw. ((communit* adj2 randoml*).tw	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454 964 189 1755 457 13 751
24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. (Death* or dead* or mortalit*).tw. ((depressive* or depressive* or depressed).tw. (depressive* or depressive* or disease*)).tw. (depressive* or depressive* or depressed).tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomi#ed.ab. (cluster* adj2 randomi*).tw. (closter* adj2 randomi*).tw. (quas*.tw.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454 964 189 175 457 13 751 38
24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome" or morbid" or adult outcome" or youth outcome").tw. ((improv" or chang" or increase" or decreas") adj2 health).tw. Hospitali?ation*.tw. (Death" or dead" or mortalit").tw. (mental adj1 (health or iil or iilness" or disorder* or disease")).tw. (depression" or depressive" or depressed).tw. disabilit".tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomi/ed.ab. trial.ti. RCT.tw. (clouremaint").tw. (communit* adj2 randomi").tw. (readmint").tw. (natural* adj3 experiment).tw. (non random" or non-random" or nonrandom").tw.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454 964 189 175 457 13 751 38 152
24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome" or morbid" or adult outcome" or youth outcome").tw. ((improv" or chang" or increase" or decreas") adj2 health).tw. Hospitali?ation*.tw. (Death" or dead" or mortalit").tw. ((beath" or dead" or mortalit").tw. ((depression" or depressed).tw. disabilit".tw. 25 or 25 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placeb.o.b. randomly.ab. randomly.ab. randomly.ab. RCT.tw. ((cluster" adj2 randoml").tw. ((communit" adj2 randoml")).tw. ((communit" adj2 randoml").tw. ((communit" adj2 randoml").tw. ((communit" adj2 randoml").tw. ((controlled clinical trial.tw. prove the rest or the rest of t	1020 4882 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454 964 189 175 13 751 38 152 1075
24 25 26 27 28 29 30 31 32 33 33 34 35 36 37 38 39 40 41 42 43 44 44 5 46	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. (Death* or dead* or mortalit*).tw. ((depressive* or depressed).tw. (disabili*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomi#ed.ab. (closter* adj2 randomi*).tw. (closter* adj2 randomi*).tw. (cortand** adj2 intervention*) or (communit* adj2 randomi*)).tw. group* randomi*.tw. (cortandi** adj2 intervention*) or or norandom*).tw. (cortandi** adj2 intervention*) or norandom*).tw. (cortandi** adj2 intervention*) or norandom*).tw. (before adj2 after).tw. (case* ad control*).tw.	1020 4892 3790 778 8053 28556 9829 20415 64272 14 113 1282 2454 964 113 1282 2454 189 175 457 13 751 38 152 1075 2054
24 25 26 27 28 29 30 31 33 33 33 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome" or morbid" or adult outcome" or youth outcome").tw. ((improv" or chang" or increase" or decreas") adj2 health).tw. Hospitali?ation*.tw. (Death" or dead" or mortalit").tw. (mental adj1 (health or iil or iilness" or disorder* or disease")).tw. (depression" or depressive" or depressed).tw. disabilit".tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomi/ab. randomi/ab. (communit* adj2 randomi").tw. ((communit* adj2 randomi").tw. (recommut* adj3 experiment).tw. (rease* and control").tw.	1020 4892 3790 778 8053 28556 64272 14 113 1282 2454 964 113 1282 2454 964 155 457 13 88 155 2054 1
24 25 26 27 28 29 30 31 33 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome" or morbid" or adult outcome" or youth outcome").tw. ((improv" or chang" or increases" or decreas") adj2 health).tw. Hospitali?ation*.tw. (Death" or dead" or mortalit").tw. ((depression" or depressed).tw. (depression" or depressed.tw. 25 or 25 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. randomi#ed.ab. trial.ti. RCT.tw. ((communit* adj2 intervention*) or (communit* adj2 randomi*)).tw. (roadmi* adj3 experiment*).tw. (naturat* adj3 experiment*).tw. (case*ard contor)/tw. (case*ard contor)/tw.	1020 4892 3790 28556 9829 20415 64272 14 113 1282 2454 189 457 13 751 38 751 38 751 13 751 13 751 1075 2054 1005
24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. (Death* or dead* or mortalit*).tw. ((depression* or depressive* or depressed).tw. (disabili*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. random#y.ab. random#ed.ab. (communi* adj2 intervention*).tw. (communi* adj2 intervention*) or (communit* adj2 random*)).tw. group* random*.tw. (uas*.tw. 26 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. random#y.ab. random#ed.ab. (cotser* adj2 randomi*).tw. (communi* adj2 intervention*) or (communit* adj2 random*)).tw. group* random*.tw. (placeb.ab. (non random* or non-random* or non-random*).tw. (before adj2 fater).tw. (communit* adj2 intervention*).tw. (before adj2 fater).tw. (case* referent.tw.	1020 489: 3790 28556 9829 20415 64272 113 1282 2454 113 1282 2454 13 964 175 13 751 13 751 13 8 5075 2054 1 0 0 22
24 25 26 27 28 29 30 31 32 33 33 34 35 36 37 37 38 39 40 41 42 43 44 44 45 46 47 7 48 49 50	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv* or chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. (Death* or dead* or mortalit*).tw. ((beath* or dead* or mortalit*).tw. ((depression* or depressive* or depressed).tw. (depression* or depressive* or depressed).tw. (controlled.tal.tw. placebo.ab. aradom#de.ab. (fortund** ad]2 intervention*) or (communit* ad]2 random**).tw. ((communit* ad]2 intervention*) or (communit* ad]2 random**).tw. (depresside** tw. ((not random** rw. (depresside** tw. (intervents** tw. (intervents*** tw. (intervents*** tw. (intervents*** t	1020 4892 3790 88053 28556 9829 9829 20415 64272 14 113 1282 2454 964 189 964 155 457 13 8 152 2054 1 0 0 22 25
24 25 26 27 27 30 31 32 33 33 34 35 36 37 38 39 40 41 42 43 44 45 45 45 45 50 51	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or ubealth outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv for chang* or increase* or decreas*) adj2 health).tw. Hospitali?ation*.tw. ((Death* or dead* or mortali*).tw. ((Death* or dead* or mortali*).tw. ((depression* or depressed).tw. (depression* or depressed).tw. (depression* or depressed).tw. (depression* or depressed).tw. 25 or 25 or 27 or 28 or 29 or 30 or 31 controlled clinical trial.tw. placebo.ab. anadomiy.ab. anadomiy.ab. anadomiy.ab. ((communit* adj2 intervention*).tw. ((case* and control*).tw. (case* and control*).tw. ((interrupted time series).tw. ((interrupted time series).tw. ((interrupted time series).tw. (interrupted time series).tw. (interrupted time series or interrupted-lime-series).tw. (interrupted time series or interrupted -lime-series).tw. (interrupted time series or int	1020 4892 3799778 8053 28556 9829 20415 64272 14 113 1282 2454 984 175 1282 2454 189 175 13 751 13 751 13 152 1075 2054 1 0 22 5 20
24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 41 42 43 44 45 46 47 48 49 50 55 1 52	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv for chang* or increase*) adj2 health).tw. Hospital?ation*.tw. (Death* or dead* or mortalit*).tw. ((beath* or dead* or mortalit*).tw. ((depression* or depressive* or depressed).tw. disabilit*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled dirical trial.tw. placebo.ab. randomi#ed.ab. trial.ti. RCT.tw. ((cluster* adj2 randomi*).tw. ((communit* adj3 experiment*).tw. ((non random* or nonrandom*).tw. ((before adj2 after).tw. (case* random* or nonrandom*).tw. ((difference in difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference*	1020 4892 3799 778 8053 28556 9829 9829 9829 9829 9829 9824 113 1282 2454 189 175 13 984 189 175 13 751 38 152 2054 1 0 0 22 255 20 10
24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).w. ((morov for chang* or increase* or decrease* or adult outcome*).w. ((morotal or or chang* or increase* or decrease*) adj2 health).w. (Death* or dead* or mortalit*).tw. ((mental adj1 (health or ill or illness* or disorder* or disease*)).tw. ((depression* or depressive* or depressed).tw. disabilit* tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled clinical triat.w. placebo.ab. anadomi#ed.ab. triat.ti. RCT.tw. ((communit* adj2 random*).tw. ((communit* adj2 random*)).tw. ((communit* adj2 random*)).tw. ((communit* adj2 random*)).tw. ((communit* adj2 random*)).tw. (communit* adj2 random*).tw. (case* and control*).tw. ((asse* ontorlat.tw. ((asterlat.tw. ((asterlat.tw. ((asse* ontorlat.tw.	1020 4892 3799 778 8053 28556 9829 20415 64272 14 13 1282 2454 457 13 13 751 13 751 13 751 13 751 1075 2054 1 0 22 25 20 0 10 138
24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 37 38 39 40 41 42 44 44 44 45 46 47 48 49 50 51 52 55	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 (Physical health or health outcome* or morbid* or adult outcome* or youth outcome*).tw. ((improv for chang* or increase*) adj2 health).tw. Hospital?ation*.tw. (Death* or dead* or mortalit*).tw. ((beath* or dead* or mortalit*).tw. ((depression* or depressive* or depressed).tw. disabilit*.tw. 25 or 26 or 27 or 28 or 29 or 30 or 31 controlled dirical trial.tw. placebo.ab. randomi#ed.ab. trial.ti. RCT.tw. ((cluster* adj2 randomi*).tw. ((communit* adj3 experiment*).tw. ((non random* or nonrandom*).tw. ((before adj2 after).tw. (case* random* or nonrandom*).tw. ((difference in difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference* or diff-n-diff*).tw. (difference in difference* or difference*	1020 4892 3799 778 8053 28556 9829 9829 9829 9829 9829 9824 113 1282 2454 189 175 13 984 189 175 13 984 189 175 13 751 107 2054 1 0 0 22 255 20 10

References

- 1. Muennig P. Can universal pre-kindergarten programs improve population health and longevity? Mechanisms, evidence, and policy implications. Soc Sci Med. 2015 Feb;127:116–23.
- 2. Walsemann K, Gee G, Ro A. Educational Attainment in the Context of Social Inequality New Directions for Research on Education and Health. Am Behav Sci. 2013 Aug 1;57:1082–104.
- 3. Kawachi I, Adler NE, Dow WH. Money, schooling, and health: Mechanisms and causal evidence. Ann N Y Acad Sci. 2010;1186(1):56–68.
- 4. Zajacova A, Lawrence EM. The Relationship Between Education and Health: Reducing Disparities Through a Contextual Approach. Annu Rev Public Health. 2018 Apr 1;39(1):273–89.
- 5. Conti G, Heckman J, Urzua S. THE EDUCATION-HEALTH GRADIENT. Am Econ Rev. 2010 May;100(2):234–8.
- Raghupathi V, Raghupathi W. The influence of education on health: an empirical assessment of OECD countries for the period 1995–2015. Arch Public Health. 2020 Apr 6;78(1):20.
- 7. Mitra D. The Social and Economic Benefits of Public Education. :42.
- 8. Educational Attainment in the United States: 2015. :12.
- 9. Goldman D, Smith JP. The Increasing Value of Education to Health. Soc Sci Med 1982. 2011 May;72(10):1728–37.
- Fedak KM, Bernal A, Capshaw ZA, Gross S. Applying the Bradford Hill criteria in the 21st century: how data integration has changed causal inference in molecular epidemiology. Emerg Themes Epidemiol [Internet]. 2015 Sep 30 [cited 2021 Jun 16];12. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4589117/
- 11. The Effects of Education on Health [Internet]. NBER. [cited 2021 May 12]. Available from: https://www.nber.org/digest/mar07/effects-education-health
- 12. Lleras-Muney A. The Relationship Between Education and Adult Mortality in the United States. Rev Econ Stud. :34.
- 13. History of Head Start [Internet]. [cited 2021 May 12]. Available from: https://www.decal.ga.gov/HeadStart/History.aspx
- 14. The Abecedarian Project | Abecedarian Project [Internet]. [cited 2021 May 12]. Available from: https://abc.fpg.unc.edu/abecedarian-project
- 15. Barnett-Page E, Thomas J. Methods for the synthesis of qualitative research: a critical review. BMC Med Res Methodol. 2009 Aug 11;9(1):59.
- 16. Campbell FA, Pungello EP, Burchinal M, Kainz K, Pan Y, Wasik BH, et al. Adult outcomes as a function of an early childhood educational program: An Abecedarian Project follow-up. Dev Psychol. 2012;48(4):1033–43.

- 17. Jones SM, Brown JL, Hoglund WLG, Aber JL. A school-randomized clinical trial of an integrated social-emotional learning and literacy intervention: impacts after 1 school year. J Consult Clin Psychol. 2010;78(6):829–42.
- 18. Sutton EE. Academic and social-emotional classroom composition and the quality of classroom interactions in New York City public elementary schools. Diss Abstr Int Sect Humanit Soc Sci. 2020;81(5):No-Specified.
- Muennig P, Woolf SH. Health and Economic Benefits of Reducing the Number of Students per Classroom in US Primary Schools. Am J Public Health. 2007 Nov;97(11):2020–7.
- 20. Learn About Mental Health Mental Health CDC [Internet]. 2018 [cited 2021 Jun 14]. Available from: https://www.cdc.gov/mentalhealth/learn/index.htm
- 21. Center on Society and Health [Internet]. [cited 2021 Jun 18]. Available from: https://societyhealth.vcu.edu/work/the-projects/why-education-matters-to-healthexploring-the-causes.html
- 22. Problems at School | Association for Children's Mental Health [Internet]. ACMH. [cited 2021 Jun 19]. Available from: http://www.acmh-mi.org/get-help/navigating/problems-at-school/
- 23. Groundbreaking Follow-Up Studies | Abecedarian Project [Internet]. [cited 2021 Jun 20]. Available from: https://abc.fpg.unc.edu/groundbreaking-follow-studies
- 24. Stormshak EA, Fosco GM, Dishion TJ. Implementing Interventions with Families in Schools to Increase Youth School Engagement: The Family Check-Up Model. School Ment Health. 2010 Jun;2(2):82–92.
- 25. Connell AM, Dishion TJ, Yasui M, Kavanagh K. An adaptive approach to family intervention: linking engagement in family-centered intervention to reductions in adolescent problem behavior. J Consult Clin Psychol. 2007 Aug;75(4):568–79.
- 26. Spoth RL, Kavanagh KA, Dishion TJ. Family-centered preventive intervention science: toward benefits to larger populations of children, youth, and families. Prev Sci Off J Soc Prev Res. 2002 Sep;3(3):145–52.
- 27. Bunting L. Parenting Programmes: The Best Available Evidence. Child Care Pract. 2004 Sep 1;10:327–43.
- 28. Carter N, Kahn L. See How We Grow: A Report on the Status of Parenting Education in the U.S. 1996.
- 29. Research to Practice Briefs [Internet]. What Works Wisconsin Effective Programs and Resources for Children, Youth and Families. [cited 2021 Jun 20]. Available from: https://fyi.extension.wisc.edu/whatworkswisconsin/research-to-pratice-briefs/
- Wong MD, Coller KM, Dudovitz RN, Kennedy DP, Buddin R, Shapiro MF, et al. Successful schools and risky behaviors among low-income adolescents. Pediatrics. 2014;134(2):e389–96.
- 31. Delaruelle K, van de Werfhorst H, Bracke P, Bracke Piet; ORCID: http://orcid.org/0000-0002-9477-3236 PAI-O http://orcid.org/Bracke. Do comprehensive school reforms

impact the health of early school leavers? Results of a comparative difference-indifference design. Soc Sci Med 1982. 2019;239:112542–112542.

- 32. Kaplan LE. Disrupting the school to prison pipeline: Rebt with African-American youth in a school setting. Diss Abstr Int Sect B Sci Eng. 2019;80(1):No-Specified.
- 33. Groot W. 4.A. What does education do to our health? 2006;9.
- 34. Walsemann K, Geronimous AT, Gee G. Accumulating disadvantage over the life course: evidence from a longitudinal study investigating the relationship between educational advantages in youth and health in middle-age. Res Aging. 2008 Mar 1;30:227–51.
- Caldwell DM, Davies SR, Hetrick SE, Palmer JC, Caro P, López-López JA, et al. Schoolbased interventions to prevent anxiety and depression in children and young people: a systematic review and network meta-analysis. Lancet Psychiatry. 2019 Dec 1;6(12):1011–20.